

WireWorld Verkoop prijzen incl. BTW.
1 januari 2021

ROUND HDMI CABLES	Specifications		0.6M (24 in.)	1.0M (40 in.)	2.0M (6.5 feet)	3.0M (10 feet)	5.0M (16.4 feet)	7.0M (23 feet)	9.0M (30 feet)	12.0M (40 feet)	15.0M (50 feet)	20.0M (65.6 feet)
RADIUS HDMI (RAH) UL-CL2 / CSA-FT4 	oxygen-free copper conductors HD-Bridge Technology DPL Labs Certified 18G Ethernet / ARC	Speed>>> Retail >>>	RAH0.6M 18G 30.00	RAH1.0M 18G 35.00	RAH2.0M 18G 45.00	RAH3.0M 18G 55.00	RAH5.0M 18G 90.00	RAH7.0M 18G 130.00	18G Active 190.00	18G Active 220.00	18G Active 270.00	n/a
SPHERE HDMI (SPH) UL-CL2 / CSA-FT4 	oxygen-free copper conductors Uni-Path + HD-Bridge Technology DPL Labs Certified 18G Composilex 3 insulation Ethernet / ARC	Speed>>> Retail >>>	SPH0.6M 50.00	SPH1.0M 18G 55.00	SPH2.0M 18G 65.00	SPH3.0M 18G 75.00	SPH5.0M 18G 110.00	SPH7.0M 18G 170.00	SPH9.0M 18G Active 260.00	SPH12.0M 18G Active 320.00	SPH15.0M 18G Active 375.00	SPH20.0M 18G Active 530.00
SILVER SPHERE HDMI (SSP) UL-CL2 / CSA-FT4 	Silver-clad OFC conductors Uni-Path design / HD-Grip plugs HDMI 2.1 / 48G Composilex 3 insulation Ethernet / ARC	Speed>>> Retail >>>	SSP0.6M 48G 250.00	SSP1.0M 48G 300.00	SSP2.0M 48G 400.00	SSP3.0M 48G 500.00	n/a	n/a	n/a	n/a	n/a	n/a


FIBER OPTIC HDMI CABLES	Specifications		5.0M (16.4 feet)	10.0M (33 feet)	15.0M (50 feet)	20.0M (65.6 feet)	30.0M (100 feet)
STELLAR OPTICAL HDMI (STH) PLENUM RATED UL CMP/FT6 	OM3 Laser optimized fibers II-VI Lasers made in the USA Silicon-Line German chipset HDMI 2.1 / 48Gbps Ethernet/ARC	Speed>>> Retail >>>	STH5.0M 48G 550.00	STH10.0M 48G 600.00	STH15.0M 48G 650.00	STH20.0M 48G 750.00	STH30.0M 48G 850.00

FLAT HDMI CABLES	Specifications		0.6M (24 in.)	1.0M (40 in.)	2.0M (6.5 feet)	3.0M (10 feet)	5.0M (16.4 feet)	7.0M (23 feet)	9.0M (30 feet)
ISLAND 7 HDMI (IHH) (UL-CL3 / CSA-FT4) 	oxygen-free copper conductors 16-conductor Symmetricon design Composilex 2 insulation HD-Grip plugs DPL Labs Certified 18G + Ethernet/ARC	Speed>>> Part Codes >>> Retail >>>	18G IHH0.6M 40.00	18G IHH1.0M 45.00	18G IHH2.0M 55.00	18G IHH3.0M 65.00	18G Active IHH5.0M 80.00	18G Active IHH7.0M 150.00	18G Active IHH9.0M 180.00
CHROMA 7 HDMI (CHH) (UL-CL3 / CSA-FT4) 	oxygen-free copper conductors 16-conductor Symmetricon design Composilex 2 insulation HD-Grip plugs DPL Labs Certified 18G + Ethernet/ARC	Speed>>> Part Codes >>> Retail >>>	18G CHH0.6M 70.00	18G CHH1.0M 80.00	18G CHH2.0M 90.00	18G CHH3.0M 100.00	18G CHH5.0M 130.00	n/a n/a n/a	n/a n/a n/a
ULTRAVIOLET 7 HDMI (UHH) (UL-CL3 / CSA-FT4) 	silver-plated OFC conductors 16-conductor Symmetricon design Composilex 2 insulation HD-Grip plugs DPL Labs Certified 18G + Ethernet/ARC	Speed>>> Part Codes >>> Retail >>>	n/a n/a n/a	18G UHH1.0M 150.00	n/a n/a n/a	18G UHH3.0M 230.00	18G UHH5.0M 300.00	n/a n/a n/a	n/a n/a n/a

HDMI / DVI ADAPTERS			
HDMI FEMALE to HDMI FEMALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMIFF 20.00
HDMI RIGHT / LEFT ANGLE (gold / silver / copper alloy contacts)	 RIGHT and LEFT	Part Code >>> Retail >>>	HDMIANGL-R/L 20.00
HDMI female to MINI HDMI MALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	MINIHDMI 20.00
HDMI FEMALE to DVI MALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMFDVM 45.00
HDMI MALE to DVI FEMALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMMDVF 45.00

ETHERNET CABLE	Materials & Design		Standard length cables					Custom length cables			Bulk Cable
			1.0M (40 in.)	2.0M (6.5 feet)	3.0M (10 feet)	5.0M (16.4 feet)	10.0M (32.8 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge	150M spool
CHROMA 8 TWINAX ETHERNET (CHE) 	23AWG Oxygen-Free Copper Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance Composilex 3 insulation	Part codes >>> Retail >>>	CHE1.0M 100.00	CHE2.0M 120.00	CHE3.0M 140.00	CHE5.0M 180.00	CHE10.0M 280.00	CHEM000 25.00	CHEF000 8.00	CHETERM 80.00	CHEM150 3,200.00


STARLIGHT 8 TWINAX ETHERNET (STE) 	23AWG Silver-clad Oxygen-Free Copper Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance Composilex 3 insulation	Part codes >>> Retail >>>	STE1.0M <u>240.00</u>	STE2.0M <u>300.00</u>	STE3.0M <u>360.00</u>	STE5.0M <u>490.00</u>	STE10.0M <u>800.00</u>	STEM000 <u>65.00</u>	STEF000 <u>20.00</u>	STETERM <u>160.00</u>	STEM150 <u>10,000.00</u>
PLATINUM STARLIGHT 8 TWINAX ETHERNET (PSE) 	23AWG OCC-7N solid silver Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance Composilex 3 insulation	Part codes >>> Retail >>>	PSE1.0M <u>850.00</u>	PSE2.0M <u>1,450.00</u>	PSE3.0M <u>2,050.00</u>	PSE5.0M <u>3,250.00</u>	PSE10.0M <u>6,250.00</u>	PSEM000 <u>600.00</u>	PSEF000 <u>180.00</u>	PSETERM <u>250.00</u>	PSEM150 <u>90,000.00</u>

USB 2.0 / 3.0 / 3.1 DIGITAL AUDIO	Materials & Design	Insulation Material		0.3M (12 in.)	0.6M (24 in.)	1.0M (20 in.)	2.0M (40 in.)	3.0M (5 feet)
CHROMA 8 USB2.0 A to B (C2AB) 	Oxygen-Free Copper Uni-Path Design Precision 90-ohm impedance	Composilex 3	Part codes >>> Retail >>>	n/a	C2AB0.6M <u>35.00</u>	C2AB1.0M <u>40.00</u>	C2AB2.0M <u>50.00</u>	C2AB3.0M <u>60.00</u>
CHROMA 8 USB2.0 A to Micro B (C2AM) 	Oxygen-Free Copper Uni-Path Design Precision 90-ohm impedance	Composilex 3	Part codes >>> Retail >>>	n/a	C2AM0.6M <u>35.00</u>	C2AM1.0M <u>40.00</u>	C2AM2.0M <u>50.00</u>	C2AM3.0M <u>60.00</u>
CHROMA 8 USB3.0 A to B (C3AB) 	Oxygen-Free Copper Uni-Path Design Precision 90-ohm impedance	Composilex 3	Part codes >>> Retail >>>	n/a	C3AB0.6M <u>50.00</u>	C3AB1.0M <u>55.00</u>	C3AB2.0M <u>60.00</u>	C3AB3.0M <u>70.00</u>
CHROMA 8 USB3.0 A to Micro B (C3AM) 	Oxygen-Free Copper Uni-Path Design Precision 90-ohm impedance	Composilex 3	Part codes >>> Retail >>>	n/a	C3AM0.6M <u>50.00</u>	C3AM1.0M <u>55.00</u>	C3AM2.0M <u>60.00</u>	C3AM3.0M <u>70.00</u>
CHROMA 8 USB3.1 C to C (C31C) 	Oxygen-Free Copper Uni-Path Design Precision 90-ohm impedance	Composilex 3	Part codes >>> Retail >>>	n/a	C31C0.6M <u>65.00</u>	C31C1.0M <u>70.00</u>	-	-
ULTRAVIOLET 8 USB2.0 A to B (U2AB) 	Silver-Plated Oxygen-Free Copper Uni-Path Design Precision 90-ohm impedance	Composilex 3	Part codes >>> Retail >>>	n/a	U2AB0.6M <u>50.00</u>	U2AB1.0M <u>55.00</u>	U2AB2.0M <u>65.00</u>	U2AB3.0M <u>75.00</u>
ULTRAVIOLET 8 USB2.0 A to Micro B (U2AM) 	Silver-Plated Oxygen-Free Copper Uni-Path Design Precision 90-ohm impedance	Composilex 3	Part codes >>> Retail >>>	n/a	U2AM0.6M <u>50.00</u>	U2AM1.0M <u>55.00</u>	U2AM2.0M <u>65.00</u>	U2AM3.0M <u>75.00</u>
ULTRAVIOLET 8 USB3.0 A to B (U3AB) 	Silver-Plated Oxygen-Free Copper Uni-Path Design Precision 90-ohm impedance	Composilex 3	Part codes >>> Retail >>>	n/a	U3AB0.6M <u>75.00</u>	U3AB1.0M <u>85.00</u>	U3AB2.0M <u>100.00</u>	U3AB3.0M <u>115.00</u>
ULTRAVIOLET 8 USB3.0 A to Micro B (U3AM) 	Silver-Plated Oxygen-Free Copper Uni-Path Design Precision 90-ohm impedance	Composilex 3	Part codes >>> Retail >>>	n/a	U3AM0.6M <u>75.00</u>	U3AM1.0M <u>85.00</u>	U3AM2.0M <u>100.00</u>	U3AM3.0M <u>115.00</u>
STARLIGHT 8 USB2.0 A to B (S2AB) 	Silver-Clad Oxygen-Free Copper Uni-Path Design Precision 90-ohm impedance	Composilex 3	Part codes >>> Retail >>>	n/a	S2AB0.6M <u>90.00</u>	S2AB1.0M <u>110.00</u>	S2AB2.0M <u>130.00</u>	S2AB3.0M <u>150.00</u>
STARLIGHT 8 USB2.0 A to Micro B (S2AM) 	Silver-Clad Oxygen-Free Copper Uni-Path Design Precision 90-ohm impedance	Composilex 3	Part codes >>> Retail >>>	n/a	S2AM0.6M <u>90.00</u>	S2AM1.0M <u>110.00</u>	S2AM2.0M <u>130.00</u>	S2AM3.0M <u>150.00</u>
STARLIGHT 8 USB3.0 A to B (S3AB) 	Silver-Clad Oxygen-Free Copper Uni-Path Design Precision 90-ohm impedance	Composilex 3	Part codes >>> Retail >>>	n/a	S3AB0.6M <u>110.00</u>	S3AB1.0M <u>140.00</u>	S3AB2.0M <u>170.00</u>	S3AB3.0M <u>220.00</u>
STARLIGHT 8 USB3.0 A to Micro B (S3AM) 	Silver-Clad Oxygen-Free Copper Uni-Path Design Precision 90-ohm impedance	Composilex 3	Part codes >>> Retail >>>	n/a	S3AM0.6M <u>110.00</u>	S3AM1.0M <u>140.00</u>	S3AM2.0M <u>170.00</u>	S3AM3.0M <u>220.00</u>
STARLIGHT 8 USB3.1 C to C (S31C) 	Silver-Clad Oxygen-Free Copper Uni-Path Design Precision 90-ohm impedance	Composilex 3	Part codes >>> Retail >>>	n/a	S31C0.6M <u>150.00</u>	S31C1.0M <u>200.00</u>	n/a	n/a
PLATINUM STARLIGHT 8 USB2.0 A to B (P2AB) 	Solid Silver Uni-Path Design Precision 90-ohm impedance Carbon Fiber plugs	Composilex 3	Part codes >>> Retail >>>	P2AB0.3M <u>360.00</u>	P2AB0.6M <u>420.00</u>	P2AB1.0M <u>500.00</u>	P2AB2.0M <u>700.00</u>	P2AB3.0M <u>900.00</u>
PLATINUM STARLIGHT 8 USB2.0 A to M (P2AM) 	Solid Silver Uni-Path Design Precision 90-ohm impedance Carbon Fiber plugs	Composilex 3	Part codes >>> Retail >>>	P2AM0.3M <u>360.00</u>	P2AM0.6M <u>420.00</u>	P2AM1.0M <u>500.00</u>	P2AM2.0M <u>700.00</u>	n/a
PLATINUM STARLIGHT 8 USB2.0 C to A (P2CA) 	Solid Silver Uni-Path Design Precision 90-ohm impedance Carbon Fiber plugs	Composilex 3	Part codes >>> Retail >>>	n/a	n/a	P2CA1.0M <u>500.00</u>	n/a	n/a
PLATINUM STARLIGHT 8 USB2.0 C to B (P2CB) 	Solid Silver	Composilex 3	Part codes >>>	P2CB1.0M				



	Uni-Path Design Precision 90-ohm impedance Carbon Fiber plugs		Retail >>>	n/a	n/a	500.00	n/a	n/a
PLATINUM STARLIGHT 8 USB2.0 C to Micro-B (P2CM)	Solid Silver Uni-Path Design Precision 90-ohm impedance Carbon Fiber plugs	Composilex 3	Part codes >>> Retail >>>	n/a	n/a	P2CM1.0M 500.00	n/a	n/a

COAXIAL DIGITAL AUDIO (75 ohms, RCA plugs, BNC's optional)	Materials & Design	Cable Design		Standard length cables						Custom length cables			Bulk Cable	
				0.5M (20 in.)	1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	6.0M (20 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge	Small spool	Large spool
CHROMA 8 (CRV) 	Oxygen-Free Copper Composilex 3 insulation 24K gold / OFC contacts	75-ohm DNA Helix 25 AWG	Part codes >>> Retail >>>	CRV0.5M 30.00	CRV1.0M 35.00	CRV1.5M 40.00	CRV2.0M 45.00	CRV3.0M 55.00	CRV6.0M 70.00	CRVM000 6.00	CRVF000 2.00	CRVTERM 30.00	CRVM050 280.00	CRVM100 550.00
ULTRAVIOLET 8 (UVV) 	silver-plated OFC Composilex 3 insulation 24K gold / OFC contacts	75-ohm DNA Helix 25 AWG	Part codes >>> Retail >>>	UVV0.5M 45.00	UVV1.0M 50.00	UVV1.5M 55.00	UVV2.0M 60.00	UVV3.0M 75.00	UVV6.0M 100.00	UVVM000 12.00	UVVF000 4.00	UVVTERM 40.00	UVVM050 550.00	UVVM100 1,100.00
STARLIGHT 8 (STV) 	silver-clad OFC Composilex 3 insulation silver-clad OFC contacts	75-ohm DNA Helix 26 AWG	Part codes >>> Retail >>>	STV0.5M 90.00	STV1.0M 110.00	STV1.5M 130.00	STV2.0M 150.00	STV3.0M 200.00	STV6.0M 320.00	STVM000 45.00	STVF000 15.00	STVTERM 70.00	STVM030 1,300.00	STVM100 4,000.00
SILVER STARLIGHT 8 (SSV) 	OCC-7N silver-clad copper Composilex 3 insulation silver-clad OFC contacts	75-ohm DNA Helix 26 AWG	Part codes >>> Retail >>>	SSV0.5M 200.00	SSV1.0M 250.00	SSV1.5M 300.00	SSV2.0M 350.00	SSV3.0M 450.00	SSV6.0M 750.00	SSVM000 100.00	SSVF000 30.00	SSVTERM 150.00	SSVM030 3,000.00	SSVM050 5,000.00
GOLD STARLIGHT 8 (GSV) 	Solid Silver Composilex 3 insulation silver-clad OFC contacts	75-ohm DNA Helix 26 AWG	Part codes >>> Retail >>>	GSV0.5M 325.00	GSV1.0M 500.00	GSV1.5M 675.00	GSV2.0M 850.00	GSV3.0M 1,200.00	GSV6.0M 2,250.00	GSVM000 350.00	GSVF000 105.00	GSVTERM 150.00	GSVM030 10,500.00	GSVM050 17,500.00
PLATINUM STARLIGHT 8 (PSV) 	OCC-7N solid silver Composilex 3 insulation silver-clad OFC contacts	75-ohm DNA Helix 22 AWG	Part codes >>> Retail >>>	PSV0.5M 850.00	PSV1.0M 1,500.00	PSV1.5M 2,150.00	PSV2.0M 2,800.00	PSV3.0M 4,100.00	PSV6.0M 8,000.00	PSVM000 1,300.00	PSVF000 390.00	PSVTERM 200.00	PSVM025 32,500.00	PSVM050 65,000.00

BALANCED DIGITAL AUDIO CABLES (110-ohm, XLR Female to XLR male)	Materials & Design	Cable Design		Standard length cables						Custom length cables			Bulk Cable	
				0.5M (20 in.)	1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	6.0M (20 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge	Small spool	Large spool
LUNA 8 (LUA) 	OFC Composilex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	LUA0.5M 55.00	LUA1.0M 60.00	LUA1.5M 65.00	LUA2.0M 70.00	LUA3.0M 80.00	LUA6.0M 100.00	LUIM000 6.00	LUIF000 2.00	LUATERM 50.00	LUIM050 280.00	LUIM100 550.00
SOLSTICE 8 (SOA) 	Silver Plated OFC Composilex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	SOA0.5M 60.00	SOA1.0M 65.00	SOA1.5M 70.00	SOA2.0M 80.00	SOA3.0M 90.00	SOA6.0M 130.00	SOIM000 15.00	SOIF000 5.00	SOATERM 50.00	SOIM050 650.00	SOIM100 1,300.00
MICRO-ECLIPSE 8 (MEA) 	OCC-7N Copper Composilex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	MEA0.5M 105.00	MEA1.0M 130.00	MEA1.5M 155.00	MEA2.0M 180.00	MEA3.0M 230.00	MEA6.0M 380.00	MEIM000 50.00	MEIF000 15.00	MEATERM 80.00	MEIM025 1,250.00	MEIM050 2,500.00
MICRO-SILVER ECLIPSE 8 (MSA) 	OCC-7N Silver-Clad conductors Composilex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	MSA0.5M 125.00	MSA1.0M 170.00	MSA1.5M 215.00	MSA2.0M 260.00	MSA3.0M 350.00	MSA6.0M 620.00	MSEM000 90.00	MSEF000 27.00	MSATERM 80.00	MSEM025 2,250.00	MSE050 4,500.00
MICRO-PLATINUM ECLIPSE 8 (MPA) 	OCC-7N solid silver conductors Composilex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	MPA0.5M 250.00	MPA1.0M 400.00	MPA1.5M 550.00	MPA2.0M 700.00	MPA3.0M 1,000.00	MPA6.0M 1,900.00	MPIM000 300.00	MPIF000 90.00	MPATERM 100.00	MPIM025 7,500.00	MPIM050 15,000.00
PLATINUM STARLIGHT 8 (PSA) 	OCC-7N solid silver conductors Composilex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 22 AWG	Part codes >>> Retail >>>	PSA0.5M 850.00	PSA1.0M 1,500.00	PSA1.5M 2,150.00	PSA2.0M 2,800.00	PSA3.0M 4,100.00	PSA6.0M 8,000.00	PSAM000 1,300.00	PSAF000 390.00	PSATERM 200.00	PSAM025 32,500.00	PSAM050 65,000.00

TOSLINK OPTICAL DIGITAL AUDIO	Conductor Material		0.3M (1 foot)	0.5M (20 in.)	1.0M (40 in.)	2.0M (6.5 feet)	3.0M (10 feet)	5.0M (16.4 feet)	8.0M (26 feet)
SUPERNOVA 7 Toslink Optical (STO) 	338 borosilicate glass fibers	Part codes >>> Retail >>>	n/a	STO0.5M 190.00	STO1.0M 220.00	STO2.0M 280.00	STO3.0M 330.00	STO5.0M 400.00	STO8.0M 580.00
SUPERNOVA 7 (SMO) Toslink to 3.5mm connector 	338 borosilicate glass fibers	Part codes >>> Retail >>>	SMO0.3M 180.00	SMO0.5M 190.00	SMO1.0M 220.00	SMO2.0M 280.00	SMO3.0M 330.00	n/a	n/a
NOVA Toslink Optical (NTO) 	Acrylic monofilament	Part codes >>> Retail >>>	n/a	NT00.5M 50.00	NT01.0M 55.00	NT02.0M 65.00	NT03.0M 75.00	NT05.0M 90.00	n/a

										
NOVA Toslink to 3.5mm connector (NMO)		Part codes >>>	NMO0.3M	NMO0.5M	NMO1.0M	NMO2.0M	NMO3.0M	NMO5.0M	n/a	
	Acrylic monofilament	Retail >>>	45.00	50.00	55.00	65.00	75.00	90.00	n/a	


AUDIO INTERCONNECT PAIRS (2 RCA males to 2 RCA males)	Materials & Design		Standard length pairs						Custom length			Bulk cable	
			0.5M (20 in.)	1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	6.0M (20 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge (Pr.)	Small spool	Large spool
	Oxygen-Free Copper conductors high-density polyethylene insulation 24K gold / brass contacts Flexi-Flat design / 25 AWG	Part codes >>> Retail >>>	n/a	TEI1.0M 25.00	TEI1.5M 30.00	TEI2.0M 35.00	TEI3.0M 45.00	TEI6.0M 65.00	n/a	n/a	n/a	n/a	n/a
 Target release Q4	Oxygen-Free Copper conductors Composilex 3 insulation 24K gold / brass contacts Dual DNA Helix design / 25 AWG	Part codes >>> Retail >>>	STI0.5M 30.00	STI1.0M 35.00	STI2.0M 45.00	STI3.0M 55.00			STIM000 4.00	STIF000 1.00	STITERM 50.00	STIM100 400.00	
	Oxygen-Free Copper conductors Composilex 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	LUI0.5M 50.00	LUI1.0M 55.00	LUI1.5M 60.00	LUI2.0M 65.00	LUI3.0M 75.00	LUI6.0M 110.00	LUIM000 6.00	LUIF000 2.00	LUITERM 50.00	LUIM050 280.00	LUIM100 550.00
	Silver-plated OFC conductors Composilex 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	SOI0.5M 70.00	SOI1.0M 80.00	SOI1.5M 95.00	SOI2.0M 110.00	SOI3.0M 135.00	SOI6.0M 220.00	SOIM000 13.00	SOIF000 4.00	SOITERM 60.00	SOIM050 650.00	SOIM100 1,300.00
	Oxygen-Free Copper conductors Composilex 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	OAI0.5M 110.00	OAI1.0M 140.00	OAI1.5M 170.00	OAI2.0M 200.00	OAI3.0M 230.00	OAI6.0M 350.00	OAIM000 25.00	OAIF000 7.00	OAITERM 90.00	OAIM050 1,100.00	OAIM100 2,200.00
	OCC-7N copper conductors Composilex 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	EQI0.5M 160.00	EQI1.0M 250.00	EQI1.5M 300.00	EQI2.0M 350.00	EQI3.0M 500.00	EQI6.0M 900.00	EQIM000 65.00	EQIF000 20.00	EQITERM 90.00	EQIM050 3,000.00	EQIM100 6,000.00
	OCC-7N copper conductors Composilex 3 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	ECI0.5M 325.00	ECI1.0M 450.00	ECI1.5M 575.00	ECI2.0M 700.00	ECI3.0M 950.00	ECI6.0M 1,700.00	ECIM000 125.00	ECIF000 37.50	ECITERM 200.00	ECIM025 3,125.00	ECIM050 6,250.00
	OCC-7N silver-clad copper Composilex 3 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	SEI0.5M 450.00	SEI1.0M 700.00	SEI1.5M 950.00	SEI2.0M 1,200.00	SEI3.0M 1,700.00	SEI6.0M 3,200.00	SEIM000 250.00	SEIF000 75.00	SEITERM 200.00	SEIM025 6,250.00	SEIM050 12,500.00
	4N solid silver conductors Composilex 3 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	GEI0.5M 900.00	GEI1.0M 1,600.00	GEI1.5M 2,300.00	GEI2.0M 3,000.00	GEI3.0M 4,400.00	GEI6.0M 8,600.00	GEIM000 700.00	GEIF000 210.00	GETERM 200.00	GEIM025 17,500.00	GEIM050 35,000.00
	OCC-7N solid silver conductors Composilex 3 insulation carbon fiber plug / silver-clad OFC contacts Quad DNA Helix design / 17 AWG	Part codes >>> Retail >>>	PEI0.5M 1,700.00	PEI1.0M 3,000.00	PEI1.5M 4,300.00	PEI2.0M 5,600.00	PEI3.0M 8,200.00	PEI6.0M 16,000.00	PEIM000 1,300.00	PEIF000 390.00	PEITERM 400.00	PEIM025 32,500.00	PEIM050 65,000.00
Add external ground wire to any interconnect			Retail >>>		20.00								

NOTE: All Wireworld Interconnects are available as 5, 6 & 7 channel sets.

BALANCED INTERCONNECTS (2 XLR females to 2 XLR males)	Materials & Design		Standard length sets						Custom length			Bulk cable	
			0.5M (20 in.)	1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	6.0M (20 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge (Pr.)	50M/165ft spool	100M/330ft spool
	Oxygen-Free Copper conductors Composilex 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 26 AWG	Part codes >>> Retail >>>	LBI0.5M 105.00	LBI1.0M 110.00	LBI1.5M 115.00	LBI2.0M 120.00	LBI3.0M 130.00	LBI6.0M 170.00	LUIM000 6.00	LUIF000 2.00	LBITERM 100.00	LUIM050 280.00	LUIM100 550.00
	Silver-plated OFC conductors Composilex 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 26 AWG	Part codes >>> Retail >>>	BSI0.5M 130.00	BSI1.0M 140.00	BSI1.5M 150.00	BSI2.0M 160.00	BSI3.0M 180.00	BSI6.0M 260.00	SOIM000 13.00	SOIF000 4.00	BSITERM 100.00	SOIM050 650.00	SOIM100 1,300.00
	Oxygen-Free Copper conductors Composilex 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 24 AWG	Part codes >>> Retail >>>	OBI0.5M 140.00	OBI1.0M 170.00	OBI1.5M 180.00	OBI2.0M 200.00	OBI3.0M 240.00	OBI6.0M 400.00	OAIM000 30.00	OAIF000 7.00	OBITERM 100.00	OAIM050 1,100.00	OAIM100 2,200.00
	OCC-7N copper conductors Composilex 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 24 AWG	Part codes >>> Retail >>>	QBI0.5M 200.00	QBI1.0M 250.00	QBI1.5M 300.00	QBI2.0M 390.00	QBI3.0M 500.00	QBI6.0M 900.00	EQIM000 60.00	EQIF000 18.00	QBITERM 90.00	EQIM050 3,000.00	EQIM100 6,000.00
	OCC-7N copper conductors Composilex 3 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	EBI0.5M 325.00	EBI1.0M 450.00	EBI1.5M 575.00	EBI2.0M 700.00	EBI3.0M 950.00	EBI6.0M 1,700.00	ECIM000 125.00	ECIF000 37.50	EBITERM 200.00	ECIM025 3,125.00	ECIM050 6,250.00

 SILVER ECLIPSE 8 (SB1)	OCC-7N silver-clad copper Composilex 3 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	SB10.5M 450.00	SB11.0M 700.00	SB11.5M 950.00	SB12.0M 1,200.00	SB13.0M 1,700.00	SB16.0M 3,200.00	SEIM000 250.00	SEIF000 75.00	SBITERM 200.00	SEIM025 6,250.00	SEIM050 12,500.00
 GOLD ECLIPSE 8 (GB1)	solid silver conductors Composilex 3 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	GB10.5M 900.00	GB11.0M 1,600.00	GB11.5M 2,300.00	GB12.0M 3,000.00	GB13.0M 4,400.00	GB16.0M 8,600.00	GEIM000 700.00	GEIF000 210.00	GBITERM 200.00	GEIM025 17,500.00	GEIM050 35,000.00
 PLATINUM 8 ECLIPSE (BP1)	OCC-7N solid silver conductors Composilex 3 insulation silver-clad copper alloy contacts Quad DNA Helix cable / 20 AWG	Part codes >>> Retail >>>	BP10.5M 1,700.00	BP11.0M 3,000.00	BP11.5M 4,300.00	BP12.0M 5,600.00	BP13.0M 8,200.00	BP16.0M 16,000.00	PEIM000 1,300.00	PEIF000 390.00	BPITERM 400.00	PEIM025 32,500.00	PEIM050 65,000.00
Add external ground wire to any interconnect		Retail >>>	20.00										

SUBWOOFER CABLES (1 RCA male to 1 RCA male)	Materials & Design		Standard length cables			Custom length cables				Bulk cable	
			4.0M (13 feet)	6.0M (20 feet)	8.0M (26 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge	Assembly 6 inch pigtail	Small spool	Large spool
 TERRA Subwoofer Cable (TSM)	Oxygen-Free Copper conductors HDPE insulation 24K gold / brass contacts Flexi-Flat design / 25 AWG	Part codes >>> Retail >>>	TSM4.0M 35.00	TSM6.0M 40.00	TSM8.0M 45.00	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a
 Stream (SIM) Target release Q4	Oxygen-Free Copper conductors Composilex 3 insulation 24K gold / brass contacts Dual DNA Helix design / 25 AWG	Part codes >>> Retail >>>	SIM4.0M 35.00	SIM6.0M 40.00		STIM000 5.00	STIF000 2.00	SIMTERM 30.00			STIM100 400
 LUNA 8 Subwoofer Cable (LSM)	Oxygen-Free Copper conductors Composilex 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	LSM4.0M 45.00	LSM6.0M 55.00	LSM8.0M 65.00	LSMM000 6.00	LSMF000 2.00	LSMTERM 30.00	LSWTERM 40.00	LUIM050 300.00	LUIM100 550.00
 SOLSTICE 8 Subwoofer Cable (SSM)	Silver-plated OFC conductors Composilex 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	SSM4.0M 85.00	SSM6.0M 110.00	SSM8.0M 140.00	SSMM000 15.00	SSMF000 5.00	SSMTERM 35.00	SSWTERM 45.00	SOIM050 650.00	SOIM100 1,300.00
 OASIS 8 Subwoofer Cable (OSM)	Oxygen-Free Copper conductors Composilex 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	OSM4.0M 140.00	OSM6.0M 180.00	OSM8.0M 220.00	OAIM000 25.00	OAIF000 7.00	OSMTERM 50.00	OSWTERM 60.00	OAIM050 1,100	OAIM100 2,200
 EQUINOX 8 Subwoofer Cable (ESM)	OCC-7N copper conductors Composilex 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	ESM4.0M 320.00	ESM6.0M 450.00	ESM8.0M 580.00	EQIM000 70.00	EQIF000 20.00	ESMTERM 50.00	ESWTERM 60.00	EQIM050 3,000	EQIM100 6,000

AUDIO Y-ADAPTERS			
 LUNA Y-Adapter, M-FF LUNA Y-Adapter, F-MM	Part Code >>>	LUIYMFF	
	Part Code >>>	LUIYFMM	
	Retail >>>	50.00	
 SOLSTICE Y-Adapter, M-FF SOLSTICE Y-Adapter, F-MM	Part Code >>>	SOIYMFF	
	Part Code >>>	SOIYFMM	
	Retail >>>	60.00	
 OASIS Y-Adapter, M-FF OASIS Y-Adapter, F-MM	Part Code >>>	OAIYMFF	
	Part Code >>>	OAIYFMM	
	Retail >>>	80.00	

MINI JACK TO MINI JACK (3.5mm stereo mini jack to 2 RCA plugs or 3.5mm to 3.5mm)	Materials Cable design		Standard length cables				Custom length cables				
			1.0M (40 in.)	1.5M (5 ft.)	2.0M (6.5 ft.)	3.0M (10 ft.)	\$ / meter of cable	\$ / ft. of cable	Assembly MJ to 2RCAs	Assembly MJM to MJM	Assembly MJM to MJF
 I-WORLD AUDIO CABLE	Oxygen-Free Copper HDPE insulation 24K gold-plated contacts coaxial design	Mini jack M to 2 RCAs Part codes >>> Retail >>>	n/a n/a	IPA1.5M 30.00	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a
 PULSE MINI JACK	Oxygen-Free Copper Composilex 2 insulation 24K gold-plated contacts DNA Helix design	Mini jack M to 2 RCAs Part codes >>> Mini jack M to M Part codes >>> Mini jack M to F Part codes >>> Retail >>>	PUN1.0M PUM1.0M MPF1.0M 45.00	PUN1.5M PUM1.5M MPF1.5M 50.00	PUN2.0M PUM2.0M MPF2.0M 55.00	PUN3.0M PUM3.0M MPF3.0M 60.00	9.00	3.00	70.00	60.00	60.00
NANO-ECLIPSE MINI JACK	OCC copper conductors Composilex 2 insulation	Mini jack M to 2 RCAs Part codes Mini jack M to M Part codes - \$25.00 >>>	ECN1.0M NEM1.0M	ECN1.5M NEM1.5M	ECN2.0M NEM2.0M	ECN3.0M NEM3.0M	ECNM000	ECNF000	ECNTERM	NEMTERM	NEFTERM

	silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to F Part codes -\$25.00>>> Retail >>>	NEF1.0M <u>175.00</u>	NEF1.5M <u>200.00</u>	NEF2.0M <u>225.00</u>	NEF3.0M <u>275.00</u>	<u>50.00</u>	<u>15.00</u>	<u>125.00</u>	<u>100.00</u>	<u>100.00</u>
NANO-SILVER ECLIPSE MINI JACK	OCC-7N silver-clad copper conductors Composilex 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to 2 RCAs Part codes Mini jack M to M Part codes -\$25.00 >>> Mini jack M to F Part codes -\$25.00 >>> Retail >>>	SEN1.0M NSM1.0M NSF1.0M <u>225.00</u>	SEN1.5M NSM1.5M NSF1.5M <u>275.00</u>	SEN2.0M NSM2.0M NSF2.0M <u>325.00</u>	SEN3.0M NSM3.0M NSF3.0M <u>425.00</u>	SEN000 <u>100.00</u>	SENF000 <u>30.00</u>	SENTERM <u>125.00</u>	NSMTERM <u>100.00</u>	NSFTERM <u>100.00</u>
NANO-PLATINUM ECLIPSE MINI JACK	OCC-7N solid silver conductors Composilex 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to 2 RCAs Part codes Mini jack M to M Part codes -\$45.00>>> Mini jack M to F Part codes -\$45.00 >>> Retail >>>	PEN1.0M NPM1.0M NPF1.0M <u>445.00</u>	PEN1.5M NPM1.5M NPF1.5M <u>570.00</u>	PEN2.0M NPM2.0M NPF2.0M <u>695.00</u>	PEN3.0M NPM3.0M NPF3.0M <u>945.00</u>	PENIM000 <u>250.00</u>	PENF000 <u>75.00</u>	PENTERM <u>195.00</u>	NPMTERM <u>150.00</u>	NPFTERM <u>150.00</u>


TONEARM CABLES Female tonearm DIN plug to 2 RCA or 2 XLR males	Composilex 3 insulation material & Tri-DNA Helix cable design		Standard lengths			Custom length cables		
			1.0M (40 in.)	1.5M (5 ft.)	2.0M (6.5 ft.)	\$ / meter of cable	\$ / foot of cable	Assembly Charge
SOLSTICE 8 (SOT/BST)	Series 8 silver-plated OFC conductors	Part codes >>> Retail >>>	SOT1.0M <u>250.00</u>	SOT1.5M <u>275.00</u>	SOT2.0M <u>300.00</u>	SOIM000 <u>15.00</u>	SOIF000 <u>4.00</u>	SOTTERM <u>250.00</u>
MICRO-ECLIPSE 8 (ECT/EBT)	Series 8 OCC-7N copper conductors	Part codes >>> Retail >>>	ECT1.0M <u>400.00</u>	ECT1.5M <u>450.00</u>	ECT2.0M <u>500.00</u>	MEIM000 <u>50.00</u>	MEIF000 <u>15.00</u>	METTERM <u>300.00</u>
MICRO-SILVER ECLIPSE 8 (SET/GBT)	Series 8 OCC-7N silver-clad copper conductors	Part codes >>> Retail >>>	SET1.0M <u>480.00</u>	SET1.5M <u>570.00</u>	SET2.0M <u>660.00</u>	MSEM000 <u>90.00</u>	MSEF000 <u>27.00</u>	SETTERM <u>300.00</u>
MICRO-PLATINUM ECLIPSE 8 (PET/BPT)	Series 8 OCC-7N solid silver conductors	Part codes >>> Retail >>>	PET1.0M <u>1,100.00</u>	PET1.5M <u>1,400.00</u>	PET2.0M <u>1,700.00</u>	MPIM000 <u>300.00</u>	MPIF000 <u>90.00</u>	PETTERM <u>500.00</u>

HEADPHONE CABLES NO LONGER AVAILABLE

STANDARD SPEAKER CABLES (spades are standard, bananas optional) SpeakON / 1/4" optional	Materials & Design		Standard length pairs					Custom lengths			Bulk cable	
			2.0M (6.5 feet)	2.5M (8 feet)	3.0M (10 feet)	5.0M (16.4 feet)	6.0M (20 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge (Pr.)	Small spool	Large spool
HORIZON (HOS)	16 AWG/1.25mm ² 2 flat oxygen-free copper conductors Flexi-Flat design gold/silver/OFC spades/bananas	Part codes >>> Retail >>>	HOS2.0M <u>75.00</u>	HOS2.5M <u>80.00</u>	HOS3.0M <u>85.00</u>	HOS5.0M <u>100.00</u>	HOS6.0M <u>110.00</u>	HOSM000 <u>5.00</u>	HOSF000 <u>2.00</u>	HOSTERM <u>60.00</u>	HOSM100 <u>450.00</u>	n/a n/a
STREAM 8 (STS)	16 AWG/1.25mm ² oxygen-free copper conductors Dual DNA Helix design - Composilex 3 insulation gold/silver/OFC spades/bananas/SpeakON/1/4"	Part codes >>> Retail >>>	STS2.0M <u>100.00</u>	STS2.5M <u>110.00</u>	STS3.0M <u>120.00</u>	STS5.0M <u>150.00</u>	STS6.0M <u>170.00</u>	STSM000 <u>10.00</u>	STSF000 <u>3.00</u>	STSTERM <u>70.00</u>	STSM075 <u>650.00</u>	n/a n/a
Helicon 16 OFC (HES)	16 AWG/1.25mm ² oxygen-free copper conductors Dual DNA Helix design - Composilex 3 insulation gold/silver/OFC spades/bananas/SpeakON/1/4"	Part codes >>> Retail >>>	HES2.0M <u>100.00</u>	HES2.5M <u>110.00</u>	HES3.0M <u>120.00</u>	HES5.0M <u>150.00</u>	HES6.0M <u>170.00</u>	HESM000 <u>9.00</u>	HESF000 <u>3.00</u>	HESTERM <u>70.00</u>	HESM100 <u>750.00</u>	n/a n/a
Helicon 16 OCC (HCS)	16 AWG/1.25mm ² OCC-7N copper conductors Dual DNA Helix design - Composilex 3 insulation gold/silver/OFC spades/bananas/SpeakON/1/4"	Part codes >>> Retail >>>	HCS2.0M <u>230.00</u>	HCS2.5M <u>270.00</u>	HCS3.0M <u>290.00</u>	HCS5.0M <u>420.00</u>	HCS6.0M <u>500.00</u>	HCSM000 <u>35.00</u>	HCSF000 <u>10.00</u>	HCSTERM <u>100.00</u>	HCSM100 <u>3,200.00</u>	n/a n/a
LUNA 8 (LUS)	14 AWG/2mm ² oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades/bananas/SpeakON/1/4"	Part codes >>> Retail >>>	LUS2.0M <u>160.00</u>	LUS2.5M <u>180.00</u>	LUS3.0M <u>200.00</u>	LUS5.0M <u>250.00</u>	LUS6.0M <u>280.00</u>	LUSM000 <u>15.00</u>	LUSF000 <u>5.00</u>	LUSTERM <u>110.00</u>	LUSM025 <u>350.00</u>	LUSM075 <u>1,000.00</u>
SOLSTICE 8 (SOS)	13 AWG/2.5mm ² oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades/bananas/SpeakON/1/4"	Part codes >>> Retail >>>	SOS2.0M <u>180.00</u>	SOS2.5M <u>200.00</u>	SOS3.0M <u>230.00</u>	SOS5.0M <u>300.00</u>	SOS6.0M <u>320.00</u>	SOSM000 <u>20.00</u>	SOSF000 <u>6.00</u>	SOSTERM <u>110.00</u>	SOSM025 <u>500.00</u>	SOSM075 <u>1,300.00</u>
OASIS 8 (OAS)	11 AWG/4mm ² oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades/bananas/SpeakON/1/4"	Part codes >>> Retail >>>	OAS2.0M <u>350.00</u>	OAS2.5M <u>400.00</u>	OAS3.0M <u>450.00</u>	OAS5.0M <u>500.00</u>	OAS6.0M <u>550.00</u>	OASM000 <u>30.00</u>	OASF000 <u>10.00</u>	OASTERM <u>220.00</u>	OASM025 <u>700.00</u>	OASM050 <u>1,400.00</u>
EQUINOX 8 (EQS)	11 AWG/4mm ² OCC-7N copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades/bananas/SpeakON/1/4"	Part codes >>> Retail >>>	EQS2.0M <u>650.00</u>	EQS2.5M <u>750.00</u>	EQS3.0M <u>900.00</u>	EQS5.0M <u>1,350.00</u>	EQS6.0M <u>1,600.00</u>	EQSM000 <u>120.00</u>	EQSF000 <u>40.00</u>	EQSTERM <u>250.00</u>	EQSM025 <u>3,000.00</u>	EQSM050 <u>5,500.00</u>
MINI ECLIPSE 8 (MES)	13 AWG/2.5mm ² OCC-7N copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades/bananas/SpeakON/1/4"	Part codes >>> Retail >>>	MES2.0M <u>500.00</u>	MES2.5M <u>580.00</u>	MES3.0M <u>660.00</u>	MES5.0M <u>980.00</u>	MES6.0M <u>1,140.00</u>	MESM000 <u>80.00</u>	MESF000 <u>24.00</u>	MESTERM <u>180.00</u>	MESM050 <u>4,000.00</u>	MESM100 <u>8,000.00</u>
ECLIPSE 8 (ECS)	9 AWG/6mm ² OCC-7N copper conductors	Part codes >>> Retail >>>	ECS2.0M <u>1,500.00</u>	ECS2.5M <u>1,800.00</u>	ECS3.0M <u>2,100.00</u>	ECS5.0M <u>3,300.00</u>	ECS6.0M <u>3,900.00</u>	ECSM000 <u>300.00</u>	ECSF000 <u>90.00</u>	ECSTERM <u>300.00</u>	ECSM025 <u>7,500.00</u>	ECSM040 <u>12,000.00</u>

	Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas												
SILVER ECLIPSE 8 (SES)	9 AWG/6mm ² OCC-7N silver-clad copper conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	SES2.0M 3,100.00	SES2.5M 3,800.00	SES3.0M 4,500.00	SES5.0M 7,300.00	SES6.0M 8,700.00	SESM000 700.00	SESF000 210.00	SESTERM 300.00	SESM025 17,500.00	SESM040 28,000.00	
	9 AWG/6mm ² solid silver conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	GES2.0M 9,100.00	GES2.5M 11,300.00	GES3.0M 13,500.00	GES5.0M 22,300.00	GES6.0M 26,700.00	GESM000 2,200.00	GESF000 660.00	GESTERM 300.00	GESM025 55,000.00	GESM040 88,000.00	
	8 AWG/8mm ² OCC-7N solid silver conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	PES2.0M 18,000.00	PES2.5M 22,400.00	PES3.0M 26,800.00	PES5.0M 44,400.00	PES6.0M 53,200.00	PESM000 4,400.00	PESF000 1,320.00	PESTERM 400.00	PESM020 88,000.00	PESM040 176,000.00	

BIWIRED SPEAKER CABLES (spades standard, banana plugs optional) SpeakON / 1/4" optional		Materials & Design		Standard length pairs					Custom lengths				Bulk cable	
				2.0M (6.5 feet)	2.5M (8 feet)	3.0M (10 feet)	5.0M (16.4 feet)	6.0M (20 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge (Pr.)	Biamp+Biwire Charge (Pr.)	Small spool	Large spool
	CL3 / FT4	14 AWG/2mm ² oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades/bananas/SpeakON/1/4"	Part codes >>> Retail >>>	LUB2.0M 250.00	LUB2.5M 260.00	LUB3.0M 290.00	LUB5.0M 370.00	LUB6.0M 400.00	LUSM000 15.00	LUSF000 5.00	LUBTERM 175.00	LUBBTERM 220.00	LUSM050 700.00	LUSM075 1,000.00
	CL3 / FT4	13 AWG/2.5mm ² oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades/bananas/SpeakON/1/4"	Part codes >>> Retail >>>	SOB2.0M 260.00	SOB2.5M 280.00	SOB3.0M 300.00	SOB5.0M 380.00	SOB6.0M 400.00	SOSM000 20.00	SOSF000 6.00	SOBTERM 175.00	SOBBTERM 220.00	SOSM025 500.00	SOSM075 1,300.00
	CL3 / FT4	11 AWG/4mm ² oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades/bananas/SpeakON/1/4"	Part codes >>> Retail >>>	OAB2.0M 400.00	OAB2.5M 450.00	OAB3.0M 500.00	OAB5.0M 600.00	OAB6.0M 650.00	OASM000 35.00	OASF000 10.00	OABTERM 275.00	OABBTERM 310.00	OASM025 700.00	OASM050 1,400.00
	CL3 / FT4	11 AWG/4mm ² OCC-7N copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades/bananas/SpeakON/1/4"	Part codes >>> Retail >>>	EQB2.0M 700.00	EQB2.5M 800.00	EQB3.0M 950.00	EQB5.0M 1,400.00	EQB6.0M 1,650.00	EQSM000 120.00	EQSF000 40.00	EQBTERM 275.00	EQBBTERM 310.00	EQSM025 3,000.00	EQSM050 5,500.00
	CL3 / FT4	13 AWG/2.5mm ² OCC-7N copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades/bananas/SpeakON/1/4"	Part codes >>> Retail >>>	MEB2.0M 540.00	MEB2.5M 620.00	MEB3.0M 700.00	MEB5.0M 1,020.00	MEB6.0M 1,180.00	MESM000 80.00	MESF000 24.00	MEBTERM 220.00	MEBBTERM 260.00	MESM050 4,000.00	MESM100 8,000.00
		9 AWG/6mm ² OCC-7N copper conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	ECB2.0M 1,600.00	ECB2.5M 1,900.00	ECB3.0M 2,200.00	ECB5.0M 3,400.00	ECB6.0M 4,000.00	ECSM000 300.00	ECSF000 90.00	ECBTERM 400.00	ECBBTERM 500.00	ECSM025 7,500.00	ECSM040 12,000.00
		9 AWG/6mm ² OCC-7N silver-clad copper conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	SEB2.0M 3,200.00	SEB2.5M 3,900.00	SEB3.0M 4,600.00	SEB5.0M 7,400.00	SEB6.0M 8,800.00	SESM000 700.00	SESF000 210.00	SEBTERM 400.00	SEBBTERM 500.00	SESM025 17,500.00	SESM040 28,000.00
		9 AWG/6mm ² solid silver conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	GEB2.0M 9,200.00	GEB2.5M 11,400.00	GEB3.0M 13,600.00	GEB5.0M 22,400.00	GEB6.0M 26,800.00	GESM000 2,200.00	GESF000 660.00	GEBTERM 400.00	GEBBTERM 500.00	GESM025 55,000.00	GESM040 88,000.00
		8 AWG/8mm ² OCC-7N solid silver conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	PEB2.0M 18,100.00	PEB2.5M 22,500.00	PEB3.0M 26,900.00	PEB5.0M 44,500.00	PEB6.0M 53,500.00	PESM000 4,400.00	PESF000 1,320.00	PEBTERM 500.00	PEBBTERM 600.00	PESM020 88,000.00	PESM040 176,000.00

BIWIRE JUMPERS			
(Spades are standard, banana plugs optional, 6 inches long)			
	OASIS Biwire Jumpers (set of 4)	Part code >>> Retail >>>	JUMPOAS <u>100.00</u>
	EQUINOX Biwire Jumpers (set of 4)	Part code >>> Retail >>>	JUMPEQS <u>150.00</u>
	ECLIPSE Biwire Jumpers (set of 4)	Part code >>> Retail >>>	JUMPECS <u>180.00</u>
	SILVER ECLIPSE Biwire Jumpers (set of 4)	Part code >>> Retail >>>	JUMPSSES <u>215.00</u>
	GOLD ECLIPSE Biwire Jumpers (set of 4)	Part code >>> Retail >>>	JUMPGES <u>250.00</u>

TERMINATION KITS for SPEAKER CABLES			Includes parts needed for 1 - pair of cables SPADES AND BANANAS NOT INCLUDED	
	Part codes	Retail		
Single wired (SOS/LUS/STS)	TKITSOS	10.00		
Bi-wired (SOB/LUB)	TKITSOB	15.00		
Single wired (OAS)	TKITOAS	100.00		
Bi-wired (OAB)	TKITOAB	110.00		
Single wired (EOS)	TKITEOS	100.00		
Bi-wired (EQB)	TKITEQB	110.00		
Single wired (MES)	TKITMES	100.00		
Bi-wired (MEB)	TKITMEB	110.00		
Single wired (ECS)	TKITECS	180.00		
Bi-wired (ECB)	TKITECB	190.00		
Single wired (SES)	TKITSES	180.00		
Bi-wired (SEB)	TKITSEB	190.00		
Single wired (GES)	TKITGES	180.00		
Bi-wired (GEB)	TKITGEB	190.00		
Single wired PES	TKITPES	240.00		
Bi-wired PEB	TKITPEB	250.00		

PLATINUM ECLIPSE Biwire Jumpers (set of 4) 	Part code >>> Retail >>>	JUMPPES 450.00
--	-----------------------------	---------------------------------

MINI-POWER CONDITIONING CORDS	Materials & Design		Standard Lengths		
			1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)
(US, EU, wall plug to IEC C7 - Figure 8) MINI-STRATUS Power Cord (MSP) 	15 AWG / 1.4mm ² oxygen-free copper conductors Fluxfield cable design - Composites 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	MSP1.0M 80.00	MSP1.5M 90.00	MSP2.0M 100.00
MINI-AURORA Power Cord (MAP) 	15 AWG / 1.4mm ² silver-clad OFC conductors Fluxfield cable design - Composites 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	MAP1.0M 140.00	MAP1.5M 160.00	MAP2.0M 180.00
MINI-ELECTRA Power Cord (MEP) 	15 AWG / 1.4mm ² OCC-7N copper conductors Fluxfield cable design - Composites 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	MEP1.0M 160.00	MEP1.5M 200.00	MEP2.0M 240.00

POWER CONDITIONING CORDS	Materials & Design	flexible flat design bends and coils easily. Longer lengths are more effective.	Standard Lengths				Custom lengths and custom terminations			
			1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	\$ / meter of cable	\$ / foot of cable	Assembly 15A Charge	Assembly 20AMP
Ultra-quiet and dynamic US,EU,UK wall plug to IEC C13/C19 PowerCON STRATUS 7 Power Cord (STP) 	12 AWG/3mm ² oxygen-free copper conductors Fluxfield cable design - Composites 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	STP1.0M 110.00	STP1.5M 130.00	STP2.0M 150.00	STP3.0M 200.00	STPM000 40.00	STPF000 12.00	STPTERM 250.00	STP20AMP 250.00
AURORA 7 Power Cord (AUP) 	12 AWG/3mm ² silver-clad OFC conductors Fluxfield cable design - Composites 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	AUP1.0M 170.00	AUP1.5M 200.00	AUP2.0M 250.00	AUP3.0M 300.00	AUPM000 80.00	AUPF000 20.00	AUPTERM 250.00	AUP20AMP 275.00
ELECTRA 7 Power Cord (ELP) 	12 AWG/3mm ² OCC-7N copper conductors Fluxfield cable design - Composites 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	ELP1.0M 250.00	ELP1.5M 300.00	ELP2.0M 350.00	ELP3.0M 480.00	ELPM000 120.00	ELPF000 36.00	ELPTERM 240.00	ELP20AMP 240.00
SILVER ELECTRA 7 Power Cord (SEP) 	12 AWG/3mm ² OCC-7N silver-clad copper conductors Fluxfield cable design - Composites 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	SEP1.0M 450.00	SEP1.5M 575.00	SEP2.0M 700.00	SEP3.0M 950.00	SEPM000 250.00	SEPF000 75.00	SEPTERM 300.00	SEP20AMP 300.00
PLATINUM ELECTRA Power Cord (PEP) 	12 AWG/3mm ² OCC-7N solid silver conductors Fluxfield cable design - Composites 2 insulation OCC silver-clad copper contacts	Part codes >>> Retail >>>	PEP1.0M 1,700.00	PEP1.5M 2,350.00	PEP2.0M 3,000.00	PEP3.0M 4,300.00	PEPM000 1,300.00	PEPF000 390.00	PEPTERM 400.00	PEP20AMP 400.00

POWER CORD CONNECTOR UPGRADE Standard & custom lengths	 20 AMP IEC	PCSVRIEC 80.00 PCSVREU 80.00 PCSVRUS 80.00 PCSVR20AMP 80.00 PCOCCIEC 140.00 PCOCCEU 140.00 PCOCCUS 140.00	POWER CORD ADAPTERS			
			Part code >>> Retail >>>	GNDLIFT 5.00 	Part code >>> Retail >>>	IECM2F 20.00 
- Silver-clad copper alloy contacts - Flat clamp for STP / AUP / ELP / SEP only - Standard lengths may be upgraded with this connector - All custom length cords and standard length upgraded cords will be priced according to the custom pricing chart above.			Part code >>> Retail >>>	IECMFG8 10.00 	Part code >>> Retail >>>	IECM1F 20.00 
POWER CORD CONNECTOR UPGRADE Standard & custom lengths - OCC 7N Silver-clad contacts - Flat clamp for PEP - All Platinum Electra Power Cord are assembled with these connectors - Available for European Schuko and US wall plugs						

POWER STRIP		
MATRIX 2 OFC, star-wired, rack mountable, shielded power cord extender 	Part code >>> Retail >>>	MATRIX 149.00



SPEAKER CABLE CONNECTORS (shrink tubing not included)		Dimensions		
GOLD-PLATED OFC 1/4" SPADE Threaded for UNI-TERM - CRIMPABLE		.25" (6.3mm) inside .49" (12mm) outside	Part code >>> Retail >>>	SPDG000 <u>5.00</u>
		Threaded	Part code >>> Retail >>>	SPDG008 <u>35.00</u>
	GOLD-PLATED OFC 1/4" SPADE (8-pack)		Part code >>> Retail >>>	SPDG050 <u>190.00</u>
SILVER-CLAD OFC 1/4" SPADE Threaded for UNI-TERM - CRIMPABLE		.25" (6.3mm) inside .49" (12mm) outside	Part code >>> Retail >>>	SPDS000 <u>7.00</u>
		Threaded	Part code >>> Retail >>>	SPDS008 <u>55.00</u>
	SILVER-CLAD OFC 1/4" SPADE (8-pack)		Part code >>> Retail >>>	SPDS050 <u>300.00</u>
SILVER-CLAD OFC 1/4" SPADE (50-pack) Bulk price				

SET OF 8 UNI-TERM GOLD SPADES		Part code >>> Retail >>>	SPDGUTM08 <u>70.00</u>
SET OF 16 UNI-TERM GOLD SPADES		Part code >>> Retail >>>	SPDGUTM16 <u>130.00</u>
SET OF 8 UNI-TERM SILVER SPADES		Part code >>> Retail >>>	SPDSUTM08 <u>80.00</u>
SET OF 16 UNI-TERM SILVER SPADES		Part code >>> Retail >>>	SPDSUTM16 <u>150.00</u>

BANANAS AND SPADES and SOCKET FOR EXCHANG			
SOCKET Single with Set Screw		Part code >>> Retail >>>	SOCKET <u>4.00</u>
SET OF 16 GOLD BANANAS FOR EXCHANGING		Part code >>> Retail >>>	BANGEX16 <u>70.00</u>
SET OF 16 SILVER BANANAS FOR EXCHANGING		Part code >>> Retail >>>	BANSEX16 <u>120.00</u>
SET OF 16 GOLD SPADES FOR EXCHANGING		Part code >>> Retail >>>	SPDGEX16 <u>80.00</u>
SET OF 16 SILVER SPADES FOR EXCHANGING		Part code >>> Retail >>>	SPDSEX16 <u>120.00</u>



SPACE PORT	Part code>>> Retail >>>	SPACEPT <u>799.00</u>
------------	----------------------------	--------------------------

Unique circuit filters noise and absorbs voltaqe spikes without MOV's, for superior sound quality.

RJ45 ETHERNET PLUG Field termination shrink included		Part code >>> Retail >>>	RJ45STE <u>25.00</u>
--	---	-----------------------------	-------------------------

SILVER LOCKING BANANA PLUGS (4-pack) Silver-clad Brass		Part code >>> Retail >>>	BANLK04 <u>110.00</u>
--	---	-----------------------------	--------------------------

GOLD 10ga. SET SCREW / BANANA (4-pack) Gold / Silver / Copper Alloy		Part code >>> Retail >>>	BANGCRP04 <u>25.00</u>
GOLD 10ga. SET SCREW / BANANA (50-pack) Gold / Silver / Copper Alloy		Part code >>> Retail >>>	BANGCRP50 <u>200.00</u>
GOLD 10ga. SET SCREW / BANANA (50-pack) NO SHELL, NO FERRULE Gold / Silver / Copper Alloy		Part code >>> Retail >>>	BANGCRN50 <u>110.00</u>

SET OF 8 UNI-TERM GOLD BANANAS		Part code >>> Retail >>>	BANGUTM08 <u>70.00</u>
SET OF 16 UNI-TERM GOLD BANANAS		Part code >>> Retail >>>	BANGUTM16 <u>130.00</u>
SET OF 8 UNI-TERM SILVER BANANAS		Part code >>> Retail >>>	BANSUTM08 <u>80.00</u>

INTERCONNECT CONNECTORS		(shrink tubing included)	
Gold Tube RCA for LUI / SOI / CRV / UVV		Part code >>> Retail >>>	RCAM6.5MM <u>8.00</u>
Gold Tube RCA pair for LUI / SOI / CRV / UVV		Part code >>> Retail >>>	RCAM6.5PR <u>14.00</u>
Silver Tube RCA for OAI / EQI / STV		Part code >>> Retail >>>	RCAM8.5MM <u>12.00</u>
Silver Tube RCA pair for OAI / EQI / STV		Part code >>> Retail >>>	RCAM8.5PR <u>26.00</u>
Silver Tube RCA for ECI / SEI / GEI / SSV / GSV		Part code >>> Retail >>>	RCAM11MM <u>30.00</u>
Silver Tube RCA pair for ECI / SEI / GEI / SSV / GSV		Part code >>> Retail >>>	RCAM11PR <u>55.00</u>
XLR for OBI & QBI		Part code Female >>> Part code Male >>> Retail >>>	XLRF5VR XLRMSVR <u>14.00</u>
XLR pair for OBI & QBI	1 Male and 1 female	Part code >>> Retail >>>	XLRSVRPR <u>28.00</u>
XLR Reference		Part code Female >>> Part code Male >>> Retail >>>	XLRFREF XLRMREF <u>30.00</u>
XLR Reference pair	1 Male and 1 female	Part code >>> Retail >>>	XLRFREFPR <u>55.00</u>
Mini Jack 8.5mm opening small diameter shell		Part code >>> Retail >>>	MJK3.5AL <u>15.00</u>

PROGOLD CONTACT TREATMENT			
PROGOLD (2ml. squeeze tube) Improves performance		Part code >>> Retail >>>	PROGOLD <u>10.00</u>
DEOXIT (2ml. squeeze tube) cleans contacts thoroughly		Part code >>> Retail >>>	DEOXIT <u>10.00</u>
Rejuvenation Kit 1 - Deoxit Wipe / 1 - ProGold Wipe / 1 - Cleaning Cloth		Part code >>> Retail >>>	REJUVKIT <u>12.00</u>

SET OF 16 UNI-TERM SILVER BANANAS	Part code >>> Retail >>>	BANSUTM16 <u>140.00</u>
--------------------------------------	-----------------------------	----------------------------