



WIREWORLD PRICING
February 2022

All prices EURO (C) MSRP

HDMI® CABLES		Specifications		0.6M (24 in.)	1.0M (40 in.)	2.0M (6.5 feet)	3.0M (10 feet)	5.0M (16.4 feet)	7.0M (23 feet)	9.0M (30 feet)	12.0M (40 feet)	15.0M (50 feet)
	RADIUS-48 HDMI (RAH) UL-CL2 / CSA-FT4	oxygen-free copper conductors Composilex 3 insulation 48G cables are UHS Certified 18G cables are DPL Labs Certified Ethernet / eARC	Speed >>> Retail >>>	RAH0.6M-48	RAH1.0M-48	RAH2.0M-48	RAH3.0M-48	RAH5.0M-48		RAH9.0M	RAH12.0M	RAH15.0M
				48G 40.00	48G 50.00	48G 60.00	48G 70.00	48G 120.00	n/a	18G Active 200.00	18G Active 240.00	18G Active 290.00
				while supplies last								
	SPHERE-48 HDMI (SPH) UL-CL2 / CSA-FT4	oxygen-free copper conductors Composilex 3 insulation Uni-Path design Ultra 8K / 48G Ethernet / eARC	Speed >>> Retail >>>	SPH0.6M-48	SPH1.0M-48	SPH2.0M-48	SPH3.0M-48	SPH5.0M-48				
				48G 70.00	48G 90.00	48G 110.00	48G 130.00	48G 220.00	n/a	n/a	n/a	n/a
	SILVER SPHERE-48 HDMI (SSP)	Silver-clad OFC conductors Uni-Path design Composilex 3 insulation Ultra 8K / 48G Ethernet / eARC	Speed >>> Retail >>>	SSP0.6M-48	SSP1.0M-48	SSP2.0M-48	SSP3.0M-48					
				48G 250.00	48G 300.00	48G 400.00	48G 500.00	n/a	n/a	n/a	n/a	n/a
	PLATINUM STARLIGHT-48 HDMI (PSH) available in March	Solid Silver conductors Uni-Path design Composilex 3 insulation Isolated & Filtered Power Conductor Ultra 8K / 48G / Ethernet / eARC	Speed >>> Retail >>>	PSH0.6M-48	PSH1.0M-48	PSH2.0M-48	PSH3.0M-48					
				48G 800.00	48G 1,000.00	48G 1,500.00	48G 2,000.00	n/a	n/a	n/a	n/a	n/a






FIBER OPTIC HDMI® CABLES		Specifications		1.0M (40 in.)	2.0M (6.5 feet)	3.0M (10 feet)	5.0M (16.4 feet)	10.0M (33 feet)	15.0M (50 feet)	20.0M (65.6 feet)	30.0M (100 feet)
	STARLIGHT-48 OPTICAL HDMI (SOH) RATED UL CL2/FT4 available in March	OM3 Laser optimized fibers II-VI American Lasers Silicon-Line German chipset UHS Certified Ultra 8K / 48Gbps Ethernet / eARC	Speed>>> Retail >>>				SOH5.0M-48	SOH10.0M-48	SOH15.0M-48	SOH20.0M-48	SOH30.0M-48
				n/a	n/a	n/a	48G 380.00	48G 430.00	48G 480.00	48G 530.00	48G 650.00
	STELLAR OPTICAL HDMI (STH) PLENUM RATED UL CMP/FT6	OM3 Laser optimized fibers II-VI American Lasers Silicon-Line German chipset UHS Certified Ultra 8K / 48Gbps Ethernet / eARC	Speed>>> Retail >>>	STH1.0M	STH2.0M	STH3.0M	STH5.0M	STH10.0M	STH15.0M	STH20.0M	STH30.0M
				48G 400.00	48G 440.00	48G 480.00	48G 600.00	48G 650.00	48G 700.00	48G 770.00	48G 890.00




HDMI / DVI ADAPTERS			
HDMI FEMALE to HDMI FEMALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMIFF 20.00
HDMI RIGHT / LEFT ANGLE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMIANGL-R/L 20.00
HDMI female to MINI HDMI MALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	MINIHDMI 20.00
HDMI FEMALE to DVI MALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMFDVM 45.00
HDMI MALE to DVI FEMALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMMDVF 45.00

HDMI®
The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.


ETHERNET CABLES Patented flat design isolates network noise Longer lengths provide greater improvements	Materials & Design		Standard length cables					Custom length cables		Bulk Cable
			1.0M (40 in.)	2.0M (6.5 feet)	3.0M (10 feet)	5.0M (16.4 feet)	10.0M (32.8 feet)	€ / meter of cable	Assembly Charge	
	23AWG Oxygen-Free Copper Composilex 3 insulation Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance	Part codes >>> Retail >>>	CHE1.0M	CHE2.0M	CHE3.0M	CHE5.0M	CHE10.0M	CHEM000	CHETERM	CHEM150
			120.00	150.00	180.00	240.00	390.00	30.00	90.00	4,250.00
	23AWG Silver-clad Oxygen-Free Copper Composilex 3 insulation Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance	Part codes >>> Retail >>>	STE1.0M	STE2.0M	STE3.0M	STE5.0M	STE10.0M	STEM000	STETERM	STEM150
			320.00	420.00	500.00	700.00	1,150.00	90.00	240.00	12,000.00
	23AWG OCC-7N solid silver Composilex 3 insulation Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance	Part codes >>> Retail >>>	PSE1.0M	PSE2.0M	PSE3.0M	PSE5.0M	PSE10.0M	PSEM000	PSETERM	PSEM150
			900.00	1,500.00	2,100.00	3,300.00	6,300.00	600.00	300.00	90,000.00



USB 2.0 / 3.0 / 3.1 DIGITAL AUDIO		Design	Materials		0.3M (12 in.)	0.6M (24 in.)	1.0M (20 in.)	2.0M (40 in.)	3.0M (5 feet)
	CHROMA 8 USB2.0 A to B (C2AB)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper Composilex 3 insulation	Part codes >>> Retail >>>	n/a	C2AB0.6M 40.00	C2AB1.0M 45.00	C2AB2.0M 50.00	C2AB3.0M 60.00
	CHROMA 8 USB2.0 A to Micro B (C2AM)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper Composilex 3 insulation	Part codes >>> Retail >>>	n/a	C2AM0.6M 40.00	C2AM1.0M 45.00	C2AM2.0M 50.00	C2AM3.0M 60.00
	CHROMA 8 USB3.0 A to B (C3AB)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper Composilex 3 insulation	Part codes >>> Retail >>>	n/a	C3AB0.6M 55.00	C3AB1.0M 60.00	C3AB2.0M 75.00	C3AB3.0M 85.00
	CHROMA 8 USB3.0 A to Micro B (C3AM)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper Composilex 3 insulation	Part codes >>> Retail >>>	n/a	C3AM0.6M 55.00	C3AM1.0M 60.00	C3AM2.0M 75.00	C3AM3.0M 85.00

	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper Composilex 3 insulation	Part codes >>> Retail >>>	n/a	C31C0.6M 70.00	C31C1.0M 75.00	-
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Plated OFC Composilex 3 insulation	Part codes >>> Retail >>>	n/a	U2AB0.6M 60.00	U2AB1.0M 75.00	U2AB2.0M 85.00 U2AB3.0M 100.00
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Plated OFC Composilex 3 insulation	Part codes >>> Retail >>>	n/a	U2AM0.6M 60.00	U2AM1.0M 75.00	U2AM2.0M 85.00 100.00 80.00
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Plated OFC Composilex 3 insulation	Part codes >>> Retail >>>	n/a	U3AB0.6M 85.00	U3AB1.0M 100.00	U3AB2.0M 115.00 U3AB3.0M 135.00
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Plated OFC Composilex 3 insulation	Part codes >>> Retail >>>	n/a	U3AM0.6M 85.00	U3AM1.0M 100.00	U3AM2.0M 115.00 U3AM3.0M 135.00
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC Composilex 3 insulation	Part codes >>> Retail >>>	n/a	S2AB0.6M 110.00	S2AB1.0M 135.00	S2AB2.0M 155.00 S2AB3.0M 175.00
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC Composilex 3 insulation	Part codes >>> Retail >>>	n/a	S2AM0.6M 110.00	S2AM1.0M 135.00	S2AM2.0M 155.00 S2AM3.0M 175.00
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC Composilex 3 insulation	Part codes >>> Retail >>>	n/a	S3AB0.6M 145.00	S3AB1.0M 175.00	S3AB2.0M 215.00 S3AB3.0M 255.00
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC Composilex 3 insulation	Part codes >>> Retail >>>	n/a	S3AM0.6M 145.00	S3AM1.0M 175.00	S3AM2.0M 215.00 S3AM3.0M 255.00
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC Composilex 3 insulation	Part codes >>> Retail >>>	n/a	S31C0.6M 125.00	S31C1.0M 215.00	n/a n/a
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Solid Silver Composilex 3 insulation Carbon Fiber plugs	Part codes >>> Retail >>>		P2AB0.3M 550.00	P2AB0.6M 620.00	P2AB1.0M 720.00 P2AB2.0M 950.00 P2AB3.0M 1,200.00
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Solid Silver Composilex 3 insulation Carbon Fiber plugs	Part codes >>> Retail >>>		P2AM0.3M 550.00	P2AM0.6M 620.00	P2AM1.0M 720.00 P2AM2.0M 950.00 n/a
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Solid Silver Composilex 3 insulation Carbon Fiber plugs	Part codes >>> Retail >>>	n/a	n/a	P2CA1.0M 720.00	n/a n/a
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Solid Silver Composilex 3 insulation Carbon Fiber plugs	Part codes >>> Retail >>>	n/a	n/a	P2CB1.0M 720.00	n/a n/a
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Solid Silver Composilex 3 insulation Carbon Fiber plugs	Part codes >>> Retail >>>	n/a	n/a	P2CM1.0M 720.00	n/a n/a

COAXIAL DIGITAL AUDIO		Materials	Cable Design	Standard length cables							Custom length cables		Bulk Cable	
(75 ohms, RCA plugs, BNC's optional)				0.5M (20 in.)	1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	6.0M (20 feet)		€ / meter of cable	Assembly Charge	Small spool	Large spool
		Oxygen-Free Copper Composilex 3 insulation 24K gold / OFC contacts	75-ohm DNA Helix 25 AWG	Part codes >>> Retail >>>	CRV0.5M 45.00	CRV1.0M 50.00	CRV1.5M 55.00	CRV2.0M 60.00	CRV3.0M 65.00	CRV6.0M 85.00	CRVM000 7.00	CRVTERM 40.00	CRVM050 350.00	CRVM100 650.00
		silver-plated OFC Composilex 3 insulation 24K gold / OFC contacts	75-ohm DNA Helix 25 AWG	Part codes >>> Retail >>>	UVV0.5M 80.00	UVV1.0M 85.00	UVV1.5M 90.00	UVV2.0M 100.00	UVV3.0M 110.00	UVV6.0M 145.00	UVVM000 12.00	UVVTERM 75.00	UVVM050 600.00	UVVM100 1,200.00
		silver-clad OFC Composilex 3 insulation silver-clad OFC contacts	75-ohm DNA Helix 26 AWG	Part codes >>> Retail >>>	STV0.5M 125.00	STV1.0M 150.00	STV1.5M 175.00	STV2.0M 200.00	STV3.0M 250.00	STV6.0M 400.00	STVM000 50.00	STVTERM 110.00	STVM030 1,400.00	STVM100 4,000.00
		OCC-7N silver-clad copper Composilex 3 insulation silver-clad OFC contacts	75-ohm DNA Helix 24 AWG	Part codes >>> Retail >>>	SSV0.5M 250.00	SSV1.0M 300.00	SSV1.5M 350.00	SSV2.0M 400.00	SSV3.0M 500.00	SSV6.0M 800.00	SSVM000 100.00	SSVTERM 200.00	SSVM030 3,000.00	SSVM050 5,000.00
		Solid Silver Composilex 3 insulation silver-clad OFC contacts	75-ohm DNA Helix 24 AWG	Part codes >>> Retail >>>	GSV0.5M 425.00	GSV1.0M 600.00	GSV1.5M 750.00	GSV2.0M 950.00	GSV3.0M 1,300.00	GSV6.0M 2,350.00	GSVM000 250.00	GSVTERM 250.00	GSVM030 10,500.00	GSVM050 17,500.00
		OCC-7N solid silver Composilex 3 insulation silver-clad OFC contacts Carbon Fiber plugs	75-ohm DNA Helix 22 AWG	Part codes >>> Retail >>>	PSV0.5M 1,150.00	PSV1.0M 1,900.00	PSV1.5M 2,650.00	PSV2.0M 3,400.00	PSV3.0M 4,900.00	PSV6.0M 9,400.00	PSVM000 1,500.00	PSVTERM 400.00	PSVM025 37,500.00	PSVM050 75,000.00
BALANCED DIGITAL AUDIO CABLES		Materials	Cable Design	Standard length cables							Custom length cables		Bulk Cable	
(110-ohm, XLR female to XLR male)				0.5M (20 in.)	1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	6.0M (20 feet)		€ / meter of cable	Assembly Charge	Small spool	Large spool
		OFC Composilex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	LUA0.5M 47.50	LUA1.0M 50.00	LUA1.5M 52.50	LUA2.0M 55.00	LUA3.0M 60.00	LUA6.0M 75.00	LUIM000 5.00	LUATERM 45.00	LUITM050 250.00	LUITM100 500.00
		Silver Plated OFC Composilex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	SOA0.5M 65.00	SOA1.0M 75.00	SOA1.5M 85.00	SOA2.0M 95.00	SOA3.0M 115.00	SOA6.0M 150.00	SOIM000 15.00	SOATERM 65.00	SOIM050 650.00	SOIM100 1,300.00

	MICRO-ECLIPSE 8 (MEA)	OCC-7N Copper Composillex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	MEA0.5M 170.00	MEA1.0M 200.00	MEA1.5M 230.00	MEA2.0M 260.00	MEA3.0M 320.00	MEA6.0M 500.00	MEIM000 60.00	MEATERM 140.00	MEIM025 1,500.00	MEIM050 3,000.00
	MICRO-SILVER ECLIPSE 8 (MSA)	OCC-7N Silver-Clad conductors Composillex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	MSA0.5M 240.00	MSA1.0M 300.00	MSA1.5M 360.00	MSA2.0M 420.00	MSA3.0M 540.00	MSA6.0M 900.00	MSEM000 120.00	MSATERM 180.00	MSEM025 3,000.00	MSE050 6,000.00
	MICRO-PLATINUM ECLIPSE 8 (MPA)	OCC-7N solid silver conductors Composillex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	MPA0.5M 375.00	MPA1.0M 550.00	MPA1.5M 725.00	MPA2.0M 900.00	MPA3.0M 1,250.00	MPA6.0M 2,300.00	MPIM000 350.00	MPATERM 200.00	MPIM025 8,750.00	MPIM050 17,500.00
	PLATINUM STARLIGHT 8 (PSA)	OCC-7N solid silver conductors Composillex 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 22 AWG	Part codes >>> Retail >>>	PSA0.5M 1,050.00	PSA1.0M 1,800.00	PSA1.5M 2,550.00	PSA2.0M 3,300.00	PSA3.0M 4,800.00	PSA6.0M 9,300.00	PSAM000 1,500.00	PSATERM 300.00	PSAM025 37,500.00	PSAM050 75,000.00

TOSLINK OPTICAL DIGITAL AUDIO		Conductor Material		0.3M (1 foot)	0.5M (20 in.)	1.0M (40 in.)	2.0M (6.5 feet)	3.0M (10 feet)	5.0M (16.4 feet)	8.0M (26 feet)
	SUPERNOVA 7 Toslink Optical (STO)	338 borosilicate glass fibers	Part codes >>> Retail >>>	n/a	STO0.5M 280.00	STO1.0M 310.00	STO2.0M 380.00	STO3.0M 450.00	STO5.0M 600.00	STO8.0M 800.00
	SUPERNOVA 7 (SMO) Toslink to 3.5mm connector	338 borosilicate glass fibers	Part codes >>> Retail >>>	n/a	SMO0.3M 250.00	SMO0.5M 280.00	SMO1.0M 310.00	SMO2.0M 380.00	SMO3.0M 450.00	n/a
	NOVA Toslink Optical (NTO)	Acrylic monofilament	Part codes >>> Retail >>>	n/a	NT00.5M 50.00	NT01.0M 55.00	NT02.0M 65.00	NT03.0M 75.00	NT05.0M 90.00	n/a
	NOVA Toslink to 3.5mm connector (NMO)	Acrylic monofilament	Part codes >>> Retail >>>	n/a	NM00.5M 50.00	NM01.0M 55.00	NM02.0M 65.00	NM03.0M 75.00	NM05.0M 90.00	n/a



AUDIO INTERCONNECT PAIRS (2 RCA males to 2 RCA males)		Materials & Design		Standard length pairs						Custom length		Bulk cable	
				0.5M (20 in.)	1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	6.0M (20 feet)	C / meter of cable	Assembly Charge (Pr.)	Small spool	Large spool
	TERRA (TEI)	Oxygen-Free Copper conductors high-density polyethylene insulation 24K gold / brass contacts Flexi-Flat design / 25 AWG	Part codes >>> Retail >>>	n/a	n/a	TEI1.0M 25.00	TEI1.5M 30.00	TEI2.0M 35.00	TEI3.0M 45.00	n/a	n/a	n/a	n/a
	Stream (STI)	Oxygen-Free Copper conductors Composillex 3 insulation 24K gold / brass contacts Dual DNA Helix design / 25 AWG	Part codes >>> Retail >>>	STI0.5M 40.00	STI1.0M 45.00	n/a	STI2.0M 55.00	STI3.0M 60.00	n/a	STIM000 5.00	STITERM 60.00	STIM100 450.00	
	LUNA 8 (LUI)	Oxygen-Free Copper conductors Composillex 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	LUI0.5M 75.00	LUI1.0M 80.00	LUI1.5M 90.00	LUI2.0M 100.00	LUI3.0M 110.00	LUI6.0M 145.00	LUIM000 6.00	LUITERM 75.00	LUIM050 300.00	LUI1100 550.00
	SOLSTICE 8 (SOI)	Silver-plated OFC conductors Composillex 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	SOI0.5M 100.00	SOI1.0M 110.00	SOI1.5M 135.00	SOI2.0M 150.00	SOI3.0M 170.00	SOI6.0M 260.00	SOIM000 15.00	SOITERM 95.00	SOIM050 700.00	SOI1100 1,300.00
	OASIS 8 (OAI)	Oxygen-Free Copper conductors Composillex 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	OAI0.5M 150.00	OAI1.0M 175.00	OAI1.5M 200.00	OAI2.0M 225.00	OAI3.0M 250.00	OAI6.0M 360.00	OAIM000 35.00	OAITERM 135.00	OAIM050 1,150.00	OAI1100 2,200.00
	EQUINOX 8 (EQI)	OCC-7N copper conductors Composillex 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	EQI0.5M 225.00	EQI1.0M 300.00	EQI1.5M 375.00	EQI2.0M 450.00	EQI3.0M 600.00	EQI6.0M 1,000.00	EQIM000 75.00	EQITERM 150.00	EQIM050 3,500.00	EQI1100 6,500.00
	ECLIPSE 8 (ECI)	OCC-7N copper conductors Composillex 3 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	ECI0.5M 400.00	ECI1.0M 525.00	ECI1.5M 650.00	ECI2.0M 775.00	ECI3.0M 1,025.00	ECI6.0M 1,775.00	ECIM000 125.00	ECITERM 275.00	ECIM025 3,125.00	ECIM050 6,250.00
	SILVER ECLIPSE 8 (SEI)	OCC-7N silver-clad copper Composillex 3 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	SEI0.5M 550.00	SEI1.0M 800.00	SEI1.5M 1,050.00	SEI2.0M 1,300.00	SEI3.0M 1,800.00	SEI6.0M 3,300.00	SEIM000 250.00	SEITERM 300.00	SEIM025 6,250.00	SEIM050 12,500.00
	GOLD ECLIPSE 8 (GEI)	4N solid silver conductors Composillex 3 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	GEI0.5M 1,050.00	GEI1.0M 1,750.00	GEI1.5M 2,450.00	GEI2.0M 3,150.00	GEI3.0M 4,550.00	GEI6.0M 8,750.00	GEIM000 700.00	GEITERM 350.00	GEIM025 17,500.00	GEIM050 35,000.00
	PLATINUM ECLIPSE 8 (PEI)	OCC-7N solid silver conductors Composillex 3 insulation carbon fiber plugs / silver-clad OFC contacts Quad DNA Helix design / 17 AWG	Part codes >>> Retail >>>	PEI0.5M 2,100.00	PEI1.0M 3,600.00	PEI1.5M 5,100.00	PEI2.0M 6,600.00	PEI3.0M 9,600.00	PEI6.0M 18,600.00	PEIM000 1,500.00	PEITERM 600.00	PEIM025 37,500.00	PEIM050 75,000.00
		Add external ground wire to any interconnect	Retail >>>	25.00									



NOTE: All Wireworld Interconnects are available as 5, 6 & 7 channel sets.

BALANCED INTERCONNECTS (2 XLR females to 2 XLR males)		Materials & Design		Standard length sets						Custom length		Bulk cable	
				0.5M (20 in.)	1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	6.0M (20 feet)	C / meter of cable	Assembly Charge (Pr.)	50M/168H spool	100M/330H spool
	LUNA 8 (LBI)	Oxygen-Free Copper conductors Composillex 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 26 AWG	Part codes >>> Retail >>>	LBi0.5M 105.00	LBi1.0M 110.00	LBi1.5M 115.00	LBi2.0M 120.00	LBi3.0M 130.00	LBi6.0M 170.00	LBIIM000 6.00	LBITERM 115.00	LBIIM050 300.00	LBI1100 550.00
	SOLSTICE 8 (BSI)	Silver-plated OFC conductors Composillex 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 26 AWG	Part codes >>> Retail >>>	BSi0.5M 135.00	BSi1.0M 145.00	BSi1.5M 155.00	BSi2.0M 175.00	BSi3.0M 195.00	BSi6.0M 285.00	BSIIM000 15.00	BSITERM 135.00	BSIIM050 700.00	BSI1100 1,300.00
	OASIS 8 (OBI)	Oxygen-Free Copper conductors Composillex 3 insulation	Part codes >>> Retail >>>	OBi0.5M 175.00	OBi1.0M 200.00	OBi1.5M 225.00	OBi2.0M 250.00	OBi3.0M 300.00	OBi6.0M 450.00	OAIM000 35.00	OBITERM 155.00	OAIM050 1,150.00	OAI1100 2,200.00

	silver-clad copper alloy contacts Tri DNA Helix design / 24 AWG											
EQUINOX 8 (QB1)	OCC-7N copper conductors Composilex 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 24 AWG	Part codes >>> Retail >>>	QB10.5M 225.00	QB11.0M 300.00	QB11.5M 375.00	QB12.0M 450.00	QB13.0M 600.00	QB16.0M 1,000.00	EQIM000 75.00	QBITERM 155.00	EQIM050 3,500.00	EQIM100 6,500.00
	OCC-7N copper conductors Composilex 3 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	EB10.5M 400.00	EB11.0M 525.00	EB11.5M 650.00	EB12.0M 775.00	EB13.0M 1,025.00	EB16.0M 1,775.00	ECIM000 125.00	EBITERM 275.00	ECIM025 3,125.00	ECIM050 6,250.00
	OCC-7N silver-clad copper Composilex 3 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	SB10.5M 550.00	SB11.0M 800.00	SB11.5M 1,050.00	SB12.0M 1,300.00	SB13.0M 1,800.00	SB16.0M 3,300.00	SEIM000 250.00	SBITERM 300.00	SEIM025 6,250.00	SEIM050 12,500.00
	solid silver conductors Composilex 3 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	GB10.5M 1,050.00	GB11.0M 1,750.00	GB11.5M 2,450.00	GB12.0M 3,150.00	GB13.0M 4,550.00	GB16.0M 8,750.00	GEIM000 700.00	GBITERM 350.00	GEIM025 17,500.00	GEIM050 35,000.00
	OCC-7N solid silver conductors Composilex 3 insulation silver-clad copper alloy contacts Quad DNA Helix cable / 20 AWG	Part codes >>> Retail >>>	BP10.5M 2,100.00	BP11.0M 3,600.00	BP11.5M 5,100.00	BP12.0M 6,600.00	BP13.0M 9,600.00	BP16.0M 18,600.00	PEIM000 1,500.00	BPITERM 600.00	PEIM025 37,500.00	PEIM050 75,000.00
Add external ground wire to any interconnect			Retail >>>	25.00								

	Materials & Design		Standard length cables			Custom length cables			Bulk cable	
			4.0M (13 feet)	6.0M (20 feet)	8.0M (26 feet)	€/ meter of cable	Assembly Charge	Assembly 6 inch pigtail	Small spool	Large spool
	Oxygen-Free Copper conductors HDPE insulation 24K gold / brass contacts Flexi-Flat design / 25 AWG	Part codes >>> Retail >>>	TSM4.0M 35.00	TSM6.0M 40.00	TSM8.0M 45.00	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a
	Oxygen-Free Copper conductors Composilex 3 insulation 24K gold / brass contacts Dual DNA Helix design / 25 AWG	Part codes >>> Retail >>>	SIM4.0M 40.00	SIM6.0M 45.00	n/a	STIM000 5.00	SIMTERM 40.00	n/a	n/a	STIM100 350.00
	Oxygen-Free Copper conductors Composilex 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	LSM4.0M 60.00	LSM6.0M 75.00	LSM8.0M 85.00	LSMM000 6.00	LSMTERM 40.00	LSWTERM 50.00	LUIM050 300.00	LUIM100 600.00
	Silver-plated OFC conductors Composilex 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	SSM4.0M 90.00	SSM6.0M 130.00	SSM8.0M 155.00	SSMM000 15.00	SSMTERM 45.00	SSWTERM 55.00	SOIM050 200.00	SOIM100 1,300.00
	Oxygen-Free Copper conductors Composilex 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	OSM4.0M 155.00	OSM6.0M 210.00	OSM8.0M 250.00	OAIM000 35.00	OSMTERM 65.00	OSWTERM 80.00	OAIM050 1150.00	OAIM100 2200.00
	OCC-7N copper conductors Composilex 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	ESM4.0M 365.00	ESM6.0M 500.00	ESM8.0M 650.00	EQIM000 75.00	ESMTERM 80.00	ESWTERM 90.00	EQIM050 3500.00	EQIM100 6500.00

AUDIO Y-ADAPTERS			
	LUNA Y-Adapter, M-FF	Part Code >>>	LUIYMFF
	LUNA Y-Adapter, F-MM	Part Code >>> Retail >>>	LUIYFMM 75.00
	SOLSTICE Y-Adapter, M-FF	Part Code >>>	SOIYMFF
	SOLSTICE Y-Adapter, F-MM	Part Code >>> Retail >>>	SOIYFMM 90.00
	OASIS Y-Adapter, M-FF	Part Code >>>	OAIYMFF
	OASIS Y-Adapter, F-MM	Part Code >>> Retail >>>	OAIYFMM 135.00

MINI JACK TO MINI JACK (3.5mm stereo mini jack to 2 RCA plugs or 3.5mm to 3.5mm)	Materials Cable design		Standard length cables				Custom length cables			
			1.0M (40 in.)	1.5M (5 ft.)	2.0M (6.5 ft.)	3.0M (10 ft.)	€/ meter of cable	Assembly MJ to 2RCAs	Assembly MJM to MJM	Assembly MJM to MJF
	Oxygen-Free Copper HDPE insulation 24K gold-plated contacts coaxial design	Mini jack M to 2 RCAs Part codes >>> Retail >>>	n/a n/a	IPA1.5M 30.00	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a
	Oxygen-Free Copper Composilex 2 insulation 24K gold-plated contacts DNA Helix design	Mini jack M to 2 RCAs Part codes >>> Mini jack M to M Part codes >>> Mini jack M to F Part codes >>> Retail >>>	PUN1.0M PUN1.0M NPF1.0M 45.00	PUN1.5M PUN1.5M NPF1.5M 50.00	PUN2.0M PUN2.0M NPF2.0M 55.00	PUN3.0M PUN3.0M NPF3.0M 60.00	PUNM000 9.00	PUNTERM 70.00	PUMTERM 60.00	MPFTERM 60.00
	OCC-7N copper Composilex 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to 2 RCAs Part codes Mini jack M to M Part codes - \$25.00 >>> Mini jack M to F Part codes - \$25.00 >>> Retail >>>	ECN1.0M NEM1.0M NEF1.0M 175.00	ECN1.5M NEM1.5M NEF1.5M 200.00	ECN2.0M NEM2.0M NEF2.0M 225.00	ECN3.0M NEM3.0M NEF3.0M 275.00	ECNM000 50.00	ECNTERM 125.00	NEMTERM 100.00	NEFTERM 100.00
	OCC-7N silver-clad copper Composilex 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to 2 RCAs Part codes Mini jack M to M Part codes - \$25.00 >>> Mini jack M to F Part codes - \$25.00 >>> Retail >>>	SEN1.0M NSM1.0M NSF1.0M 225.00	SEN1.5M NSM1.5M NSF1.5M 275.00	SEN2.0M NSM2.0M NSF2.0M 325.00	SEN3.0M NSM3.0M NSF3.0M 425.00	SENM000 100.00	SENTERM 125.00	NSMTERM 100.00	NSFTERM 100.00
	OCC-7N solid silver Composilex 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts	Mini jack M to 2 RCAs Part codes Mini jack M to M Part codes - \$45.00 >>> Mini jack M to F Part codes - \$45.00 >>> Retail >>>	PEN1.0M NPM1.0M NPF1.0M 445.00	PEN1.5M NPM1.5M NPF1.5M 570.00	PEN2.0M NPM2.0M NPF2.0M 695.00	PEN3.0M NPM3.0M NPF3.0M 945.00	PENIM000 250.00	PENTERM 195.00	NPMTERM 150.00	NPFTERM 150.00

	DNA Helix design			
--	------------------	--	--	--


TONEARM CABLES Female tonearm DIN plug to 2 RCA or 2 XLR males	DNA HELIX DESIGN Composilex 3 insulation material		Standard lengths		Custom length cables	
			1.0M (40 in.)	1.5M (5 ft.)	2.0M (6.5 ft.)	€/ meter of cable
SOLSTICE 8 (SOT/BST)	Series 8 silver-plated OFC conductors	Part codes >>> Retail >>>	SOT1.0M 250.00	SOT1.5M 275.00	SOT2.0M 300.00	SOIM000 15.00
MICRO-ECLIPSE 8 (ECT/EBT)	Series 8 OCC-7N copper conductors	Part codes >>> Retail >>>	ECT1.0M 400.00	ECT1.5M 450.00	ECT2.0M 500.00	MEIM000 50.00
MICRO-SILVER ECLIPSE 8 (SET/SBT)	Series 8 OCC-7N silver-clad copper conductors	Part codes >>> Retail >>>	SET1.0M 480.00	SET1.5M 570.00	SET2.0M 660.00	MSEM000 90.00
MICRO-PLATINUM ECLIPSE 8 (PET/BPT)	Series 8 OCC-7N solid silver conductors	Part codes >>> Retail >>>	PET1.0M 1,100.00	PET1.5M 1,400.00	PET2.0M 1,700.00	MPIM000 300.00

HEADPHONE CABLES NO LONGER AVAILABLE


STANDARD SPEAKER CABLES (spades are standard, bananas optional) SpeakON / 1/4" optional	Materials & Design		Standard length pairs					Custom lengths		Bulk cable	
			2.0M (6.5 feet)	2.5M (8 feet)	3.0M (10 feet)	5.0M (16.4 feet)	6.0M (20 feet)	€/ meter of cable	Assembly Charge (Pr.)	Small spool	Large spool
HORIZON (HOS)	16 AWG/1.25mm ² 2 flat oxygen-free copper conductors Flexi-Flat design gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	HOS2.0M 110.00	HOS2.5M 115.00	HOS3.0M 120.00	HOS5.0M 145.00	HOS6.0M 155.00	HOSM000 6.00	HOSTERM 90.00	HOSM100 600.00	n/a
STREAM 8 (STS)	16 AWG/1.25mm ² oxygen-free copper conductors Dual DNA Helix design - Composilex 3 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	STS2.0M 155.00	STS2.5M 170.00	STS3.0M 185.00	STS5.0M 225.00	STS6.0M 255.00	STSM000 11.00	STSTERM 120.00	STSM075 800.00	n/a
Helicon 16 OFC (HES)	16 AWG/1.25mm ² oxygen-free copper conductors Dual DNA Helix design - Composilex 3 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	HES2.0M 150.00	HES2.5M 160.00	HES3.0M 170.00	HES5.0M 210.00	HES6.0M 230.00	HESM000 11.00	HESTERM 120.00	HESM100 950.00	n/a
Helicon 16 OCC (HCS)	16 AWG/1.25mm ² OCC-7N copper conductors Dual DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	HCS2.0M 310.00	HCS2.5M 350.00	HCS3.0M 390.00	HCS5.0M 550.00	HCS6.0M 630.00	HCSM000 45.00	HCSTERM 145.00	HCSM100 4,200.00	n/a
LUNA 8 (LUS)	14 AWG/2mm ² oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	LUS2.0M 225.00	LUS2.5M 235.00	LUS3.0M 250.00	LUS5.0M 310.00	LUS6.0M 340.00	LUSM000 15.00	LUSTERM 170.00	LUSM025 400.00	LUSM075 1,050.00
SOLSTICE 8 (SOS)	13 AWG/2.5mm ² oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	SOS2.0M 255.00	SOS2.5M 280.00	SOS3.0M 305.00	SOS5.0M 375.00	SOS6.0M 410.00	SOSM000 20.00	SOSTERM 175.00	SOSM025 500.00	SOSM075 1,300.00
OASIS 8 (OAS)	11 AWG/4mm ² oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	OAS2.0M 450.00	OAS2.5M 475.00	OAS3.0M 500.00	OAS5.0M 650.00	OAS6.0M 725.00	OASM000 40.00	OASTERM 300.00	OASM025 900.00	OASM050 1,800.00
EQUINOX 8 (EQS)	11 AWG/4mm ² OCC-7N copper conductors Quad DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	EQS2.0M 850.00	EQS2.5M 1,000.00	EQS3.0M 1,150.00	EQS5.0M 1,750.00	EQS6.0M 2,000.00	EQSM000 145.00	EQSTERM 300.00	EQSM025 3,500.00	EQSM050 7,000.00
MINI ECLIPSE 8 (MES)	13 AWG/2.5mm ² OCC-7N copper conductors Quad DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	MES2.0M 610.00	MES2.5M 700.00	MES3.0M 790.00	MES5.0M 1,150.00	MES6.0M 1,330.00	MESM000 90.00	MESTERM 250.00	MESM050 4,500.00	MESM100 9,000.00
ECLIPSE 8 (ECS)	9 AWG/6mm ² OCC-7N copper conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	ECS2.0M 1,920.00	ECS2.5M 2,250.00	ECS3.0M 2,580.00	ECS5.0M 3,900.00	ECS6.0M 4,560.00	ECSM000 330.00	ECSTERM 600.00	ECSM025 8,250.00	ECSM040 13,200.00
SILVER ECLIPSE 8 (SES)	9 AWG/6mm ² OCC-7N silver-clad copper conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	SES2.0M 3,680.00	SES2.5M 4,450.00	SES3.0M 5,220.00	SES5.0M 8,300.00	SES6.0M 9,840.00	SESM000 770.00	SESTERM 600.00	SESM025 19,350.00	SESM040 30,800.00
GOLD ECLIPSE 8 (GES)	9 AWG/6mm ² solid silver conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	GES2.0M 10,700.00	GES2.5M 13,200.00	GES3.0M 15,700.00	GES5.0M 25,700.00	GES6.0M 30,700.00	GESM000 2,500.00	GESTERM 700.00	GESM025 62,500.00	GESM040 100,000.00
PLATINUM ECLIPSE 8 (PES)	8 AWG/8mm ² OCC-7N solid silver conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	PES2.0M 20,000.00	PES2.5M 24,800.00	PES3.0M 29,600.00	PES5.0M 48,800.00	PES6.0M 58,400.00	PESM000 4,800.00	PESTERM 800.00	PESM020 96,000.00	PESM040 192,000.00

BIWIRED SPEAKER CABLES (spades standard, banana plugs optional) SpeakON / 1/4" optional	Materials & Design		Standard length pairs					Custom lengths		Bulk cable	
			2.0M (6.5 feet)	2.5M (8 feet)	3.0M (10 feet)	5.0M (16.4 feet)	6.0M (20 feet)	€/ meter of cable	Assembly Charge (Pr.)	Blamp+Biwire Charge (Pr.)	Small spool
LUNA 8 (LUB)	14 AWG/2mm ² oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	LUB2.0M 275.00	LUB2.5M 290.00	LUB3.0M 305.00	LUB5.0M 360.00	LUB6.0M 385.00	LUSM000 15.00	LUBTERM 215.00	LUBBTERM 270.00	LUSM050 700.00
SOLSTICE 8 (SOB)	13 AWG/2.5mm ² oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	SOB2.0M 320.00	SOB2.5M 335.00	SOB3.0M 350.00	SOB5.0M 430.00	SOB6.0M 470.00	SOSM000 20.00	SORTERM 235.00	SORBTERM 300.00	SOSM025 500.00
OASIS 8 (OAB)	11 AWG/4mm ² oxygen-free copper conductors Quad DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	OAB2.0M 550.00	OAB2.5M 600.00	OAB3.0M 650.00	OAB5.0M 775.00	OAB6.0M 850.00	OASM000 40.00	OABTERM 420.00	OABBTERM 550.00	OASM025 900.00
EQUINOX 8 (EQB)	11 AWG/4mm ²	Part codes >>>	EQB2.0M	EQB2.5M	EQB3.0M	EQB5.0M	EQB6.0M	EQSM000	EOBTERM	EOBBTERM	EQSM025

	CL3 / FT4	OCC-7N copper conductors Quad DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Retail >>>	990.00	1,130.00	1,390.00	1,840.00	2,150.00	1,145.00	420.00	550.00	3,500.00	7,000.00
	CL3 / FT4	13 AWG/2.5mm ² OCC-7N copper conductors Quad DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	MEB2.0M 710.00	MEB2.5M 800.00	MEB3.0M 890.00	MEB5.0M 1,250.00	MEB6.0M 1,430.00	MESM000 90.00	MEBTERM 350.00	MEBBTERM 450.00	MESM050 4,500.00	MESM100 9,000.00
		9 AWG/6mm ² OCC-7N copper conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	ECB2.0M 2,120.00	ECB2.5M 2,450.00	ECB3.0M 2,780.00	ECB5.0M 4,100.00	ECB6.0M 4,760.00	ECSM000 330.00	ECBTERM 800.00	ECBBTERM 1,000.00	ECSM025 8,250.00	ECSM040 13,200.00
		9 AWG/6mm ² OCC-7N silver-clad copper conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	SEB2.0M 3,880.00	SEB2.5M 4,650.00	SEB3.0M 5,420.00	SEB5.0M 8,500.00	SEB6.0M 10,040.00	SESM000 770.00	SEBTERM 800.00	SEBBTERM 1,000.00	SESM025 19,250.00	SESM040 30,800.00
		9 AWG/6mm ² solid silver conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	GEB2.0M 10,900.00	GEB2.5M 13,400.00	GEB3.0M 15,900.00	GEB5.0M 25,900.00	GEB6.0M 30,900.00	GESM000 2,500.00	GEBTERM 900.00	GEBBTERM 1,100.00	GESM025 62,500.00	GESM040 100,000.00
		8 AWG/6mm ² OCC-7N solid silver conductors Octo DNA Helix design - Composilex 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	PEB2.0M 20,200.00	PEB2.5M 25,000.00	PEB3.0M 29,800.00	PEB5.0M 49,000.00	PEB6.0M 58,600.00	PESM000 4,800.00	PEBTERM 1,000.00	PEBBTERM 1,250.00	PESM020 96,000.00	PESM040 192,000.00

BIWIRE JUMPERS (Spades are standard, banana plugs optional, 6 inches long)			
	OASIS Biwire Jumpers (set of 4)	Part code >>> Retail >>>	JUMPOAS 135.00
	EQUINOX Biwire Jumpers (set of 4)	Part code >>> Retail >>>	JUMPEQS 175.00
	ECLIPSE Biwire Jumpers (set of 4)	Part code >>> Retail >>>	JUMPECS 200.00
	SILVER ECLIPSE Biwire Jumpers (set of 4)	Part code >>> Retail >>>	JUMPSSES 250.00
	GOLD ECLIPSE Biwire Jumpers (set of 4)	Part code >>> Retail >>>	JUMPGES 300.00
	PLATINUM ECLIPSE Biwire Jumpers (set of 4)	Part code >>> Retail >>>	JUMPPES 600.00

MINI-POWER CONDITIONING CORDS Mini Standard: US, EU wall plug to IEC C7 (Figure 8); UK termination available for \$10 upcharge.	Materials & Design (IEC C7 angle adapter ADPC7C8 is included)		Standard Lengths		
			1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)
	15 AWG / 1.4mm ² oxygen-free copper conductors Fluxfield cable design - Composilex 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	MSP1.0M 85.00	MSP1.5M 100.00	MSP2.0M 110.00
	15 AWG / 1.4mm ² silver-clad OFC conductors Fluxfield cable design - Composilex 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	MAP1.0M 120.00	MAP1.5M 150.00	MAP2.0M 175.00
	15 AWG / 1.4mm ² OCC-7N copper conductors Fluxfield cable design - Composilex 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	MEP1.0M 160.00	MEP1.5M 200.00	MEP2.0M 240.00

POWER CONDITIONING CORDS Standard: US,EU,UK wall plug to IEC C13. C19 or PowerCON custom termination is available for an upcharge.	Materials & Design Ultra-quiet. Flexible flat design bends and coils easily. Longer lengths are more effective.		Standard Lengths				Custom lengths and custom terminations		
			1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	C / meter of cable	Assembly Charge 15A(IEC-C13)	Assembly Charge 20A(IEC-C19)
	12 AWG/3mm ² oxygen-free copper conductors Fluxfield cable design - Composilex 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	STP1.0M 135.00	STP1.5M 150.00	STP2.0M 190.00	STP3.0M 250.00	STPM000 60.00	STPTERM 360.00	STP20AMP 360.00
	12 AWG/3mm ² silver-clad OFC conductors Fluxfield cable design - Composilex 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	AUP1.0M 190.00	AUP1.5M 240.00	AUP2.0M 290.00	AUP3.0M 380.00	AUPM000 100.00	AUPTERM 430.00	AUP20AMP 430.00
	12 AWG/3mm ² OCC-7N copper conductors Fluxfield cable design - Composilex 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	ELP1.0M 260.00	ELP1.5M 330.00	ELP2.0M 400.00	ELP3.0M 540.00	ELPM000 140.00	ELPTERM 400.00	ELP20AMP 400.00
	12 AWG/3mm ² OCC-7N silver-clad copper conductors Fluxfield cable design - Composilex 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	SEP1.0M 500.00	SEP1.5M 625.00	SEP2.0M 750.00	SEP3.0M 1,000.00	SEPM000 250.00	SEPTERM 440.00	SEP20AMP 440.00
	12 AWG/3mm ² OCC-7N solid silver conductors Fluxfield cable design - Composilex 2 insulation OCC silver-clad copper contacts	Part codes >>> Retail >>>	PEP1.0M 2,200.00	PEP1.5M 2,900.00	PEP2.0M 3,600.00	PEP3.0M 5,000.00	PEPM000 1,400.00	PEPTERM 800.00	PEP20AMP 800.00

POWER CORD CONNECTOR UPGRADE Standard & custom lengths • Silver-clad copper alloy contacts		Part codes >>> Retail >>>	PCSVRIEC 80.00
		Part codes >>> Retail >>>	PCSVREU 80.00

POWER CORD ADAPTERS		
Part code >>> Retail >>>	GNDLIFT 6.00	

- Flat clamp for STP / AUP / ELP / SEP only
- Standard lengths may be upgraded with this connector
- All custom length cords and standard length upgraded cords will be priced according to the custom pricing chart above.



20 AMP IEC C19



Part code >>>
Retail >>>

PCSVRUS
80.00

Part codes >>>
Retail >>>

PCSVR20AMP
80.00

Part codes >>>
Retail >>>

PCOCCTEC
140.00

Part codes >>>
Retail >>>

PCOCCCEU
140.00

Part codes >>>
Retail >>>

PCOCCCUS
140.00

**POWER CORD
CONNECTOR UPGRADE**
Standard & custom lengths

- OCC 7N Silver-clad contacts
- Flat clamp for PEP
- All Platinum Electra Power Cord are assembled with these connectors
- Available for European Schuko and US wall plugs

POWER STRIP			
MATRIX 2 OFC, star-wired, rack mountable, shielded power cord extender		Part code >>> Retail >>>	MATRIX 149.00

SPEAKER CABLE CONNECTORS
(shrink tubing not included)

SET OF 8 UNI-TERM GOLD SPADES		Part code >>> Retail >>>	SPDGUTM08 100.00
SET OF 16 UNI-TERM GOLD SPADES		Part code >>> Retail >>>	SPDGUTM16 190.00
SET OF 8 UNI-TERM SILVER SPADES		Part code >>> Retail >>>	SPDSUTM08 120.00
SET OF 16 UNI-TERM SILVER SPADES		Part code >>> Retail >>>	SPDSUTM16 230.00

SET OF 8 UNI-TERM GOLD BANANAS		Part code >>> Retail >>>	BANGUTM08 100.00
SET OF 16 UNI-TERM GOLD BANANAS		Part code >>> Retail >>>	BANGUTM16 190.00
SET OF 8 UNI-TERM SILVER BANANAS		Part code >>> Retail >>>	BANSUTM08 120.00
SET OF 16 UNI-TERM SILVER BANANAS		Part code >>> Retail >>>	BANSUTM16 230.00

UNI-TERM SOCKETS - EXCHANGE BANANAS AND SPADES			
SOCKET Single with Set Screw		Part code >>> Retail >>>	SOCKET 5.00
SET OF 16 GOLD BANANAS FOR EXCHANGING		Part code >>> Retail >>>	BANGEX16 120.00
SET OF 16 SILVER BANANAS FOR EXCHANGING		Part code >>> Retail >>>	BANSEX16 150.00
SET OF 16 GOLD SPADES FOR EXCHANGING		Part code >>> Retail >>>	SPDGEX16 120.00
SET OF 16 SILVER SPADES FOR EXCHANGING		Part code >>> Retail >>>	SPOSEX16 150.00

SILVER LOCKING BANANA PLUGS (4-pack) Silver-clad Brass		Part code >>> Retail >>>	BANLK04 125.00
GOLD 10ga. SET SCREW / BANANA (4-pack) Gold / Silver / Copper Alloy		Part code >>> Retail >>>	BANGCRP04 30.00
GOLD 10ga. SET SCREW / BANANA (50-pack) Gold / Silver / Copper Alloy		Part code >>> Retail >>>	BANGCRP50 240.00
GOLD 10ga. SET SCREW / BANANA (50-pack) NO SHELL, NO FERRULE Gold / Silver / Copper Alloy		Part code >>> Retail >>>	BANGCRN50 120.00

1/4 INCH (6.3mm) UNI-TERM SPADE LUGS			
Dimensions			
GOLD-PLATED OFC 1/4" SPADE Threaded for UNI-TERM and CRIMPABLE	.25" (6.3mm) inside .49" (12mm) outside	Part code >>> Retail >>>	SPDG000 7.00
GOLD-PLATED OFC 1/4" SPADE (8-pack)	 Threaded	Part code >>> Retail >>>	SPDG008 60.00
GOLD-PLATED OFC 1/4" SPADE (50-pack) Bulk price		Part code >>> Retail >>>	SPDG050 300.00
SILVER-CLAD OFC 1/4" SPADE Threaded for UNI-TERM and CRIMPABLE	.25" (6.3mm) inside .49" (12mm) outside	Part code >>> Retail >>>	SPDS000 10.00
SILVER-CLAD OFC 1/4" SPADE (8-pack)	 Threaded	Part code >>> Retail >>>	SPDS008 80.00



SPACE PORT Unique circuit filters noise and absorbs spikes without MOV's, for superior sound quality.	Part code>>> Retail >>>	SPACEPT 849.00
--	----------------------------	-------------------

TERMINATION KITS for SPEAKER CABLES		Includes parts needed for 1 - pair of cables SPADES AND BANANAS NOT INCLUDED	
		Part codes	Retail
Single wired (SOS/LUS/STS)	TKITSOS		10.00
Bi-wired (SOB/LUB)	TKITSOB		15.00
Single wired (OAS)	TKITOAS		100.00
Bi-wired (OAB)	TKITOAB		110.00
Single wired (EQS)	TKITEQS		100.00
Bi-wired (EQB)	TKITEQB		110.00
Single wired (MES)	TKITMES		100.00
Bi-wired (MEB)	TKITMEB		110.00
Single wired (ECS)	TKITECS		180.00
Bi-wired (ECB)	TKITECB		190.00
Single wired (SES)	TKITSES		180.00
Bi-wired (SEB)	TKITSEB		190.00
Single wired (GES)	TKITGES		180.00
Bi-wired (GEB)	TKITGEB		190.00
Single wired PES	TKITPES		240.00
Bi-wired PEB	TKITPEB		250.00

SILVER-CLAD OFC 1/4" SPADE (50-pack) Bulk price	Part code >>> Retail >>>	SPD5050 <u>400.00</u>
---	-----------------------------	--------------------------

INTERCONNECT CONNECTORS		(shrink tubing included)	
Gold Tube RCA for LUI / SOI / CRV / UVV		Part code >>> Retail >>>	RCAM6.5MM <u>10.00</u>
Gold Tube RCA pair for LUI / SOI / CRV / UVV		Part code >>> Retail >>>	RCAM6.5PR <u>20.00</u>
Silver Tube RCA for OAI / EQI / STV		Part code >>> Retail >>>	RCAM8.5MM <u>15.00</u>
Silver Tube RCA pair for OAI / EQI / STV		Part code >>> Retail >>>	RCAM8.5PR <u>30.00</u>
Silver Tube RCA for ECI / SEI / GEI / SSV / GSV		Part code >>> Retail >>>	RCAM11MM <u>30.00</u>
Silver Tube RCA pair for ECI / SEI / GEI / SSV / GSV		Part code >>> Retail >>>	RCAM11PR <u>60.00</u>
XLR for OBI & QBI		Part code Female >>> Part code Male >>> Retail >>>	XLRF5VR XLRMSVR <u>20.00</u>
XLR pair for OBI & QBI	1 Male and 1 female	Part code >>> Retail >>>	XLRSVRPR <u>40.00</u>
XLR Reference		Part code Female >>> Part code Male >>> Retail >>>	XLRFREF XLRMREF <u>40.00</u>
XLR Reference pair	1 Male and 1 female	Part code >>> Retail >>>	XLRRFPFR <u>75.00</u>
Mini Jack 8.5mm opening small diameter shell		Part code >>> Retail >>>	MJK3.5AL <u>15.00</u>
RJ45 ETHERNET PLUG Field termination shrink included		Part code >>> Retail >>>	RJ45STE <u>30.00</u>

PROGOLD CONTACT TREATMENT			
PROGOLD (2ml. squeeze tube) Improves performance		Part code >>> Retail >>>	PROGOLD <u>12.00</u>
DEOXIT (2ml. squeeze tube) cleans contacts thoroughly		Part code >>> Retail >>>	DEOXIT <u>12.00</u>
Rejuvenation Kit 1 - Deoxit Wipe / 1 - ProGold Wipe / 1 - Cleaning Cloth		Part code >>> Retail >>>	REJUVKIT <u>15.00</u>