

WireWorld Bruto advies prijslijst
Juli 2023

HDMI® CABLES	Specifications	Standard length cables					
		0.6M (24 in.)	1.0M (40 in.)	2.0M (6.5 feet)	3.0M (10 feet)	5.0M (16.4 feet)	
RADIUS 48 HDMI (RAH) III-T17 / CSA	OFC conductors Triple-shielded design COMPOSILEX 3 insulation Ethernet / eARC / HDR UHS Certified Ultra 8K / 48Gbps	Speed >>> Retail >>>	RAH0.6M-48 48G 40.00	RAH1.0M-48 48G 50.00	RAH2.0M-48 48G 60.00	RAH3.0M-48 48G 70.00	RAH5.0M-48 48G 120.00
SPHERE 48 HDMI (SPH) UL-CL2 / CSA	OFC conductors Uni-Path Design COMPOSILEX 3 insulation Ethernet / eARC / HDR Ultra 8K / 48G / HDCP2.3	Speed >>> Retail >>>	SPH0.6M-48 48G 70.00	SPH1.0M-48 48G 90.00	SPH2.0M-48 48G 110.00	SPH3.0M-48 48G 130.00	SPH5.0M-48 48G 220.00
SILVER SPHERE 48 HDMI (SSP)	Silver-clad OFC conductors Uni-Path Design COMPOSILEX 3 insulation Ethernet / eARC / HDR Ultra 8K / 48G / HDCP2.3	Speed >>> Retail >>>	SSP0.6M-48 48G 250.00	SSP1.0M-48 48G 300.00	SSP2.0M-48 48G 400.00	SSP3.0M-48 48G 500.00	n/a
PLATINUM STARLIGHT 48 HDMI (PSH)	Solid Silver conductors Uni-Path Design COMPOSILEX 3 insulation Isolated & Filtered Power Conductor Ultra 8K / 48G / eARC / HDR / HDCP2.3	Speed >>> Retail >>>	PSH0.6M-48 48G 800.00	PSH1.0M-48 48G 1,000.00	PSH2.0M-48 48G 1,500.00	PSH3.0M-48 48G 2,000.00	n/a

FIBER OPTIC HDMI® CABLES	Specifications	Standard length cables					
		5.0M (16.4 feet)	10.0M (33 feet)	15.0M (50 feet)	20.0M (65.6 feet)	30.0M (100 feet)	
STARLIGHT 48 OPTICAL HDMI (SOH) RATED UL CL2/FT4	II-VI American Lasers Silicon-Line German chipset UHS Certified Ultra 8K / 48Gbps Ethernet / eARC / HDR / HDCP2.3 UL-CL2/FT4 inwall rated	Speed >>> Retail >>>	SOH5.0M-48 48G 380.00	SOH10.0M-48 48G 430.00	SOH15.0M-48 48G 480.00	SOH20.0M-48 48G 530.00	SOH30.0M-48 48G 650.00
STELLAR 48 OPTICAL HDMI (STH) PLENUM RATED UL CMP/FT6	VIVIDTECH NR System II-VI American Lasers Silicon-Line German chipset UHS Certified Ultra 8K / 48Gbps Ethernet / eARC / HDR / HDCP2.3 UL-CLP/FT6 commercial inwall rated	Speed >>> Retail >>>	STH5.0M-48 48G 600.00	STH10.0M-48 48G 650.00	STH15.0M-48 48G 700.00	STH20.0M-48 48G 770.00	STH30.0M-48 48G 890.00

HDMI / DVI ADAPTERS			
HDMI FEMALE to HDMI FEMALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMIFF 20.00
HDMI RIGHT / LEFT ANGLE (gold / silver / copper alloy contacts)	RIGHT and LEFT	Part Code >>> Retail >>>	HDMIANGL-R/L 20.00
HDMI Female to MINI HDMI MALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	MINIHDMI 20.00
HDMI FEMALE to DVI MALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMFDVIM 45.00
HDMI MALE to DVI FEMALE (gold / silver / copper alloy contacts)		Part Code >>> Retail >>>	HDMMDVIF 45.00



ETHERNET CABLES	Materials & Design	Part codes >>> Retail >>>	Standard length cables					Custom length cables			Bulk Cable
			1.0M (40 in.)	2.0M (6.5 feet)	3.0M (10 feet)	5.0M (16.4 feet)	10.0M (32.8 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge	150M spool
CHROMA 8 TWINAX ETHERNET (CHE)	23AWG Oxygen-Free Copper COMPOSILEX 3 insulation Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance	Part codes >>> Retail >>>	CHE1.0M 120.00	CHE2.0M 150.00	CHE3.0M 180.00	CHE5.0M 240.00	CHE10.0M 390.00	CHEM000 30.00	CHETERM 90.00	CHEM150 4,250.00	
STARLIGHT 8 TWINAX ETHERNET (STE)	23AWG Silver-clad Oxygen-Free Copper COMPOSILEX 3 insulation Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance	Part codes >>> Retail >>>	STE1.0M 320.00	STE2.0M 420.00	STE3.0M 500.00	STE5.0M 700.00	STE10.0M 1,150.00	STEM000 90.00	STETERM 240.00	STEM150 12,000.00	
PLATINUM STARLIGHT 8 TWINAX ETHERNET (PSE)	23AWG OCC-7N solid silver COMPOSILEX 3 insulation Tite-Shield™ triple-shielded twinax design Precision 100 ohm impedance	Part codes >>> Retail >>>	PSE1.0M 900.00	PSE2.0M 1,500.00	PSE3.0M 2,100.00	PSE5.0M 3,300.00	PSE10.0M 6,300.00	PSEM000 600.00	PSETERM 300.00	PSEM150 90,000.00	

USB Cables in red are discontinued										
USB 2.0 / 3.0 / 3.1 DIGITAL AUDIO	Design	Materials	Part codes >>> Retail >>>	0.3M (12 in.)	0.5M (24 in.)	1.0M (20 in.)	2.0M (40 in.)	3.0M (5 feet)		
CHROMA 8 USB2.0 A to B (C2AB)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	C2AB0.6M 40.00	C2AB1.0M 45.00	C2AB2.0M 50.00	C2AB3.0M 60.00		
CHROMA 8 USB2.0 C to B (C2CB) <i>Available in September 2023</i>	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	n/a	C2CB1.0M 45.00	n/a	n/a		
CHROMA 8 USB2.0 A to Micro B (C2AM)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	C2AM0.6M	C2AM1.0M	C2AM2.0M	C2AM3.0M		
CHROMA 8 USB3.0 A to B (C3AB)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	n/a	C3AB1.0M	n/a	C3AB3.0M		
CHROMA 8 USB3.0 A to Micro B (C3AM)	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Oxygen-Free Copper COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	C3AM0.6M	C3AM1.0M	C3AM2.0M	C3AM3.0M		
CHROMA 8 USB3.1 C to C (C31C)	Uni-Path Design Isolated & Filtered Power Conductor	Oxygen-Free Copper	Part codes >>> Retail >>>	n/a	C31C0.6M 20.00	C31C1.0M 25.00	n/a	n/a		

	Precision 90-ohm impedance	COMPOSILEX 3 insulation							
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Plated OFC COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	n/a	U2AB1.0M	U2AB2.0M	U2AB3.0M	
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Plated OFC COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	U2AM0.6M	U2AM1.0M	U2AM2.0M	U2AM3.0M	
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Plated OFC COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	U3AB0.6M	U3AB1.0M	U3AB2.0M	U3AB3.0M	
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Plated OFC COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	U3AM0.6M	U3AM1.0M	U3AM2.0M	U3AM3.0M	
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	S2AB0.6M 110.00	S2AB1.0M 135.00	S2AB2.0M 155.00	S2AB3.0M 175.00	
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	n/a	S2AM1.0M	S2AM2.0M	S2AM3.0M	
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	S3AB0.6M	S3AB1.0M	S3AB2.0M	S3AB3.0M	
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	n/a	S3AM1.0M	S3AM2.0M	S3AM3.0M	
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Silver-Clad OFC COMPOSILEX 3 insulation	Part codes >>> Retail >>>	n/a	S31C0.6M 175.00	S31C1.0M 215.00	n/a	n/a	
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Solid Silver COMPOSILEX 3 insulation Carbon Fiber plugs	Part codes >>> Retail >>>	P2AB0.3M 550.00	P2AB0.6M 620.00	P2AB1.0M 720.00	P2AB2.0M 950.00	P2AB3.0M 1,200.00	
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Solid Silver COMPOSILEX 3 insulation Carbon Fiber plugs	Part codes >>> Retail >>>	P2AM0.3M	P2AM0.6M	P2AM1.0M	P2AM2.0M	n/a	
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Solid Silver COMPOSILEX 3 insulation Carbon Fiber plugs	Part codes >>> Retail >>>	n/a	n/a	P2CA1.0M 720.00	n/a	n/a	
	Uni-Path Design Isolated & Filtered Power Conductor Precision 90-ohm impedance	Solid Silver COMPOSILEX 3 insulation Carbon Fiber plugs	Part codes >>> Retail >>>	n/a	n/a	P2CM1.0M	n/a	n/a	

COAXIAL DIGITAL AUDIO (75 ohms, RCA plugs, BNC's optional)	Materials	Cable Design		Standard length cables						Custom length cables			Bulk Cable	
				0.5M (20 in.)	1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	6.0M (20 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge	Small spool	Large spool
	Oxygen-Free Copper COMPOSILEX 3 insulation 24K gold / OFC contacts	75-ohm DNA Helix 25 AWG	Part codes >>> Retail >>>	CRV0.5M 45.00	CRV1.0M 50.00	CRV1.5M 55.00	CRV2.0M 60.00	CRV3.0M 65.00	CRV6.0M 85.00	CRVM000 7.00	CRVTERM 40.00	CRVM050 350.00	CRVM100 700.00	
	silver-plated OFC COMPOSILEX 3 insulation 24K gold / OFC contacts	75-ohm DNA Helix 25 AWG	Part codes >>> Retail >>>	UVV0.5M 80.00	UVV1.0M 85.00	UVV1.5M 90.00	UVV2.0M 100.00	UVV3.0M 110.00	UVV6.0M 145.00	UVVM000 12.00	UVVTERM 25.00	UVVM050 600.00	UVVM100 1,200.00	
	silver-clad OFC COMPOSILEX 3 insulation silver-clad OFC contacts	75-ohm DNA Helix 26 AWG	Part codes >>> Retail >>>	STV0.5M 125.00	STV1.0M 150.00	STV1.5M 175.00	STV2.0M 200.00	STV3.0M 250.00	STV6.0M 400.00	STVM000 50.00	STVTERM 110.00	STVM030 1,400.00	STVM100 4,600.00	
	OCC-7N silver-clad copper COMPOSILEX 3 insulation silver-clad OFC contacts	75-ohm DNA Helix 24 AWG	Part codes >>> Retail >>>	SSV0.5M 250.00	SSV1.0M 300.00	SSV1.5M 350.00	SSV2.0M 400.00	SSV3.0M 500.00	SSV6.0M 800.00	SSVM000 100.00	SSVTERM 200.00	SSVM030 3,000.00	SSVM050 5,000.00	
	Solid Silver COMPOSILEX 3 insulation silver-clad OFC contacts	75-ohm DNA Helix 24 AWG	Part codes >>> Retail >>>	GSV0.5M 425.00	GSV1.0M 600.00	GSV1.5M 725.00	GSV2.0M 950.00	GSV3.0M 1,300.00	GSV6.0M 2,350.00	GSVM000 350.00	GSVTERM 250.00	GSVM030 10,500.00	GSVM050 17,500.00	
	OCC-7N solid silver COMPOSILEX 3 insulation silver-clad OFC contacts Carbon Fiber plugs	75-ohm DNA Helix 22 AWG	Part codes >>> Retail >>>	PSV0.5M 1,150.00	PSV1.0M 1,900.00	PSV1.5M 2,650.00	PSV2.0M 3,400.00	PSV3.0M 4,900.00	PSV6.0M 9,400.00	PSVM000 1,500.00	PSVTERM 400.00	PSVM025 37,500.00	PSVM050 75,000.00	

BALANCED DIGITAL AUDIO CABLES (110-ohm, XLR female to XLR male)	Materials	Cable Design		Standard length cables						Custom length cables			Bulk Cable	
				0.5M (20 in.)	1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	6.0M (20 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge	Small spool	Large spool
	OFC COMPOSILEX 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	LUA0.5M 60.00	LUA1.0M 65.00	LUA1.5M 70.00	LUA2.0M 75.00	LUA3.0M 85.00	LUA6.0M 90.00	LUIM000 6.00	LUATERM 55.00	LUIM050 300.00		
	Silver Plated OFC COMPOSILEX 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	SOA0.5M 65.00	SOA1.0M 75.00	SOA1.5M 85.00	SOA2.0M 95.00	SOA3.0M 115.00	SOA6.0M 150.00	SOIM000 15.00	SOATERM 65.00	SOIM050 650.00		
	OCC-7N Copper COMPOSILEX 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	MEA0.5M 170.00	MEA1.0M 200.00	MEA1.5M 230.00	MEA2.0M 260.00	MEA3.0M 320.00	MEA6.0M 500.00	MEIM000 60.00	MEATERM 140.00	MEIM025 1,500.00		
	OCC-7N Silver-clad conductors COMPOSILEX 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	MSA0.5M 240.00	MSA1.0M 300.00	MSA1.5M 360.00	MSA2.0M 420.00	MSA3.0M 540.00	MSA6.0M 900.00	MSEM000 120.00	MSATERM 180.00	MSEM025 3,000.00		
	OCC-7N solid silver conductors COMPOSILEX 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 26 AWG	Part codes >>> Retail >>>	MPA0.5M 375.00	MPA1.0M 550.00	MPA1.5M 725.00	MPA2.0M 900.00	MPA3.0M 1,250.00	MPA6.0M 2,300.00	MPIM000 350.00	MPATERM 200.00	MPIM025 8,750.00		
	OCC-7N solid silver conductors COMPOSILEX 3 insulation silver-clad copper alloy contacts	110-ohm Tri -DNA Helix 22 AWG	Part codes >>> Retail >>>	PSA0.5M 1,050.00	PSA1.0M 1,800.00	PSA1.5M 2,550.00	PSA2.0M 3,300.00	PSA3.0M 4,800.00	PSA6.0M 9,300.00	PSAM000 1,500.00	PSATERM 300.00	PSAM025 37,500.00		

TOSLINK OPTICAL		Conductor Material		0.5M (20 in.)	1.0M (40 in.)	2.0M (6.5 feet)	3.0M (10 feet)	5.0M (16.4 feet)	8.0M (26 feet)
	SUPERNOVA 7 Toslink Optical (STO)	338 borosilicate glass fibers	Part codes >>> Retail >>>	ST00.5M 280.00	ST01.0M 310.00	ST02.0M 380.00	ST03.0M 450.00	ST05.0M 600.00	ST08.0M 800.00
	SUPERNOVA 7 (SMO) Toslink to 3.5mm connector	338 borosilicate glass fibers	Part codes >>> Retail >>>	SM00.5M 280.00	SM01.0M 310.00	SM02.0M 380.00	n/a	n/a	n/a
	NOVA Toslink Optical (NTO)	Acrylic monofilament	Part codes >>> Retail >>>	NT00.5M 50.00	NT01.0M 55.00	NT02.0M 65.00	NT03.0M 75.00	NT05.0M 90.00	n/a
	NOVA Toslink to 3.5mm connector (NMO)	Acrylic monofilament	Part codes >>> Retail >>>	NM00.5M 50.00	NM01.0M 55.00	NM02.0M 65.00	NM03.0M 75.00	n/a	n/a

AUDIO INTERCONNECT PAIRS (2 RCA males to 2 RCA males)		Materials & Design		Standard length pairs						Custom length			Bulk cable	
				0.5M (20 in.)	1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	6.0M (20 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge (Pr.)	Small spool	Large spool
	Stream (STI)	Oxygen-Free Copper conductors COMPOSLEX 3 insulation 24K gold / brass contacts Dual DNA Helix design / 25 AWG	Part codes >>> Retail >>>	ST10.5M 40.00	ST11.0M 45.00	n/a	ST12.0M 55.00	ST13.0M 60.00	n/a	STIM000 5.00	STITERM 60.00		STIM100 300.00	STIM100 450.00
	LUNA 8 (LUI)	Oxygen-Free Copper conductors COMPOSLEX 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	LUI0.5M 75.00	LUI1.0M 80.00	LUI1.5M 90.00	LUI2.0M 100.00	LUI3.0M 110.00	LUI6.0M 145.00	LUIM000 6.00	LUITERM 75.00		LUIM050 300.00	LUIM100 550.00
	SOLSTICE 8 (SOI)	Silver-plated OFC conductors COMPOSLEX 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	SOI0.5M 100.00	SOI1.0M 110.00	SOI1.5M 135.00	SOI2.0M 150.00	SOI3.0M 170.00	SOI6.0M 260.00	SOIM000 15.00	SOTTERM 95.00		SOIM050 700.00	SOIM100 1,300.00
	OASIS 8 (OAI)	Oxygen-Free Copper conductors COMPOSLEX 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	OAI0.5M 150.00	OAI1.0M 175.00	OAI1.5M 200.00	OAI2.0M 225.00	OAI3.0M 250.00	OAI6.0M 360.00	OAIM000 35.00	OAITERM 135.00		OAIM050 1,150.00	OAIM100 2,200.00
	EQUINOX 8 (EOI)	OCC-7N copper conductors COMPOSLEX 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	EOI0.5M 225.00	EOI1.0M 300.00	EOI1.5M 375.00	EOI2.0M 450.00	EOI3.0M 600.00	EOI6.0M 1,000.00	EOIM000 75.00	EOITERM 150.00		EOIM050 3,500.00	EOIM100 6,500.00
	ECLIPSE 8 (ECI)	OCC-7N copper conductors COMPOSLEX 3 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	ECI0.5M 400.00	ECI1.0M 525.00	ECI1.5M 650.00	ECI2.0M 775.00	ECI3.0M 1,025.00	ECI6.0M 1,775.00	ECIM000 125.00	ECITERM 275.00		ECIM025 3,125.00	ECIM050 6,250.00
	SILVER ECLIPSE 8 (SEI)	OCC-7N silver-clad copper COMPOSLEX 3 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	SEI0.5M 550.00	SEI1.0M 800.00	SEI1.5M 1,050.00	SEI2.0M 1,300.00	SEI3.0M 1,800.00	SEI6.0M 3,300.00	SEIM000 250.00	SEITERM 300.00		SEIM025 6,250.00	SEIM050 12,500.00
	GOLD ECLIPSE 8 (GEI)	Solid silver conductors COMPOSLEX 3 insulation silver-clad OFC contacts Quad DNA Helix design / 18 AWG	Part codes >>> Retail >>>	GEI0.5M 1,050.00	GEI1.0M 1,750.00	GEI1.5M 2,450.00	GEI2.0M 3,150.00	GEI3.0M 4,550.00	GEI6.0M 8,750.00	GEIM000 700.00	GETTERM 350.00		GEIM025 17,500.00	GEIM050 35,000.00
	PLATINUM ECLIPSE 8 (PEI)	OCC-7N solid silver conductors COMPOSLEX 3 insulation carbon fiber plies / silver-clad OFC contacts Quad DNA Helix design / 17 AWG	Part codes >>> Retail >>>	PEI0.5M 2,100.00	PEI1.0M 3,600.00	PEI1.5M 5,100.00	PEI2.0M 6,600.00	PEI3.0M 9,600.00	PEI6.0M 18,600.00	PEIM000 1,500.00	PEITERM 600.00		PEIM025 37,500.00	PEIM050 75,000.00
	Add external ground wire to any interconnect		Retail >>>	25.00										

NOTE: All Wireworld Interconnects are available as 5, 6 & 7 channel sets.

BALANCED INTERCONNECTS (2 XLR females to 2 XLR males)		Materials & Design		Standard length sets						Custom length			Bulk cable	
				0.5M (20 in.)	1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	6.0M (20 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge (Pr.)	50M/165ft spool	100M/330ft spool
	LUNA 8 (LBI)	Oxygen-Free Copper conductors COMPOSLEX 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 26 AWG	Part codes >>> Retail >>>	LBI0.5M 105.00	LBI1.0M 110.00	LBI1.5M 115.00	LBI2.0M 120.00	LBI3.0M 130.00	LBI6.0M 170.00	LBIIM000 6.00	LBITERM 115.00		LBIIM050 300.00	LBIIM100 550.00
	SOLSTICE 8 (BSI)	Silver-plated OFC conductors COMPOSLEX 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 26 AWG	Part codes >>> Retail >>>	BSI0.5M 135.00	BSI1.0M 145.00	BSI1.5M 155.00	BSI2.0M 175.00	BSI3.0M 195.00	BSI6.0M 285.00	BSIIM000 15.00	BSITERM 135.00		BSIIM050 700.00	BSIIM100 1,300.00
	OASIS 8 (OBI)	Oxygen-Free Copper conductors COMPOSLEX 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 24 AWG	Part codes >>> Retail >>>	OBI0.5M 175.00	OBI1.0M 200.00	OBI1.5M 225.00	OBI2.0M 250.00	OBI3.0M 300.00	OBI6.0M 450.00	OAIM000 35.00	OBITERM 150.00		OAIM050 1,150.00	OAIM100 2,200.00
	EQUINOX 8 (OBI)	OCC-7N copper conductors COMPOSLEX 3 insulation silver-clad copper alloy contacts Tri DNA Helix design / 24 AWG	Part codes >>> Retail >>>	OBI0.5M 225.00	OBI1.0M 300.00	OBI1.5M 375.00	OBI2.0M 450.00	OBI3.0M 600.00	OBI6.0M 1,000.00	EOIM000 75.00	OBITERM 150.00		EOIM050 3,500.00	EOIM100 6,500.00
	ECLIPSE 8 (EBI)	OCC-7N copper conductors COMPOSLEX 3 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	EBI0.5M 400.00	EBI1.0M 525.00	EBI1.5M 650.00	EBI2.0M 775.00	EBI3.0M 1,025.00	EBI6.0M 1,775.00	ECIM000 125.00	EBITERM 275.00		ECIM025 3,125.00	ECIM050 6,250.00
	SILVER ECLIPSE 8 (SBI)	OCC-7N silver-clad copper COMPOSLEX 3 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	SBI0.5M 550.00	SBI1.0M 800.00	SBI1.5M 1,050.00	SBI2.0M 1,300.00	SBI3.0M 1,800.00	SBI6.0M 3,300.00	SEIM000 250.00	SBITERM 300.00		SEIM025 6,250.00	SEIM050 12,500.00
	GOLD ECLIPSE 8 (GBI)	Solid silver conductors COMPOSLEX 3 insulation silver-clad copper alloy contacts Quad DNA Helix design / 21 gauge AWG	Part codes >>> Retail >>>	GBI0.5M 1,050.00	GBI1.0M 1,750.00	GBI1.5M 2,450.00	GBI2.0M 3,150.00	GBI3.0M 4,550.00	GBI6.0M 8,750.00	GEIM000 700.00	GBITERM 350.00		GEIM025 17,500.00	GEIM050 35,000.00
	PLATINUM 8 ECLIPSE (BPI)	OCC-7N solid silver conductors COMPOSLEX 3 insulation silver-clad copper alloy contacts Quad DNA Helix cable / 20 AWG	Part codes >>> Retail >>>	BPI0.5M 2,100.00	BPI1.0M 3,600.00	BPI1.5M 5,100.00	BPI2.0M 6,600.00	BPI3.0M 9,600.00	BPI6.0M 18,600.00	PEIM000 1,500.00	BPITERM 600.00		PEIM025 37,500.00	PEIM050 75,000.00
	Add external ground wire to any interconnect		Retail >>>	25.00										

SUBWOOFER CABLES (1 RCA male to 1 RCA male)	Materials & Design		Standard length cables			Custom length cables			Bulk cable		
			4.0M (13 feet)	6.0M (20 feet)	8.0M (26 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge	6 inch pigtail	Small spool	Large spool
Stream (SIM)	Oxygen-Free Copper conductors COMPOSILEX 3 insulation 24K gold / brass contacts Dual DNA Helix design / 25 AWG	Part codes >>> Retail >>>	SIM4.0M 40.00	SIM6.0M 45.00	SIM8.0M n/a	\$TIM000 5.00	\$SIMTERM 40.00	n/a	n/a	n/a	STIM100 350.00
LUNA 8 Subwoofer Cable (LSM)	Oxygen-Free Copper conductors COMPOSILEX 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	LSM4.0M 60.00	LSM6.0M 75.00	LSM8.0M 85.00	\$LSM000 6.00	\$LSMTERM 40.00	\$LSWTERM 50.00	LUIJ050 300.00	LUIJ100 600.00	
SOLSTICE 8 Subwoofer Cable (SSM)	Silver-plated OFC conductors COMPOSILEX 3 insulation 24K gold / OFC contacts Tri DNA Helix design / 23 AWG	Part codes >>> Retail >>>	SSM4.0M 90.00	SSM6.0M 130.00	SSM8.0M 155.00	\$SSM000 15.00	\$SSMTERM 45.00	\$SSWTERM 55.00	SOIM050 700.00	SOIM100 1,300.00	
OASIS 8 Subwoofer Cable (OSM)	Oxygen-Free Copper conductors COMPOSILEX 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	OSM4.0M 155.00	OSM6.0M 210.00	OSM8.0M 250.00	\$OAIM000 35.00	\$OSMTERM 65.00	\$OSWTERM 80.00	OAIM050 1,150.00	OAIM100 2,200.00	
EQUINOX 8 Subwoofer Cable (ESM)	OCC-7N copper conductors COMPOSILEX 3 insulation silver-clad OFC contacts Tri DNA Helix design / 21 AWG	Part codes >>> Retail >>>	ESM4.0M 355.00	ESM6.0M 500.00	ESM8.0M 650.00	\$EQJM000 75.00	\$ESMTERM 80.00	\$ESWTERM 90.00	EQJM050 3,500.00	EQJM100 6,500.00	












AUDIO Y-ADAPTERS			
LUNA Y-Adapter, M-FF LUNA Y-Adapter, F-MM		Part Code >>> Retail >>>	LUIYFFF LUIYFMM 25.00
SOLSTICE Y-Adapter, M-FF SOLSTICE Y-Adapter, F-MM		Part Code >>> Retail >>>	SOIYFFF SOIYFMM 90.00
OASIS Y-Adapter, M-FF OASIS Y-Adapter, F-MM		Part Code >>> Retail >>>	OAIYFFF OAIYFMM 135.00









MINI JACK TO MINI JACK (3.5mm stereo mini jack to 2 RCA plus or 3.5mm to 3.5mm)	Materials Cable design		Standard length cables				Custom length cables						
			1.0M (40 in.)	1.5M (5 ft.)	2.0M (6.5 ft.)	3.0M (10 ft.)	\$ / meter of cable	\$ / ft. of cable	Assembly M1 to 2RCAs	Assembly M1M to M1M	Assembly M1M to M1M		
I-WORLD AUDIO CABLE	Oxygen-Free Copper HDPE insulation 24K gold-plated contacts coaxial design	Mini jack M to 2 RCAs Part codes >>> Retail >>>	n/a	IPAL1.5M 20.00	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
PULSE MINI JACK	Oxygen-Free Copper COMPOSILEX 2 insulation 24K gold-plated contacts DNA Helix design	Mini jack M to 2 RCAs Part codes >>> Mini jack M to M Part codes >>> Mini jack M to F Part codes >>> Retail >>>	PUN1.0M 45.00	PUN1.5M 50.00	PUN2.0M 55.00	PUN3.0M 60.00	PUNM000 9.00	PUNF000 70.00	PUNTERM 60.00	PUMTERM 60.00	MPFTERM 60.00		
NANO-ECLIPSE MINI JACK	COMPOSILEX 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to 2 RCAs Part codes >>> Mini jack M to M Part codes -\$25.00 >>> Mini jack M to F Part codes -\$25.00 >>> Retail >>>	ECN1.0M NEM1.0M NEF1.0M 225.00	ECN1.5M NEM1.5M NEF1.5M 275.00	ECN2.0M NEM2.0M NEF2.0M 325.00	ECN3.0M NEM3.0M NEF3.0M 425.00	ECNM000 50.00	ECNF000 125.00	ECNTERM 100.00	NEMTERM 100.00	NEFTERM 100.00		
NANO-SILVER ECLIPSE MINI JACK	OCC-7N silver-clad cooper COMPOSILEX 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to 2 RCAs Part codes >>> Mini jack M to M Part codes -\$25.00 >>> Mini jack M to F Part codes -\$25.00 >>> Retail >>>	SEN1.0M NSF1.0M 225.00	SEN1.5M NSF1.5M 275.00	SEN2.0M NSF2.0M 325.00	SEN3.0M NSF3.0M 425.00	SENM000 100.00	SENF000 125.00	SENTERM 125.00	NSMTERM 100.00	NSFTERM 100.00		
NANO-PLATINUM ECLIPSE MINI JACK	OCC-7N solid silver COMPOSILEX 2 insulation silver-clad alloy 3.5mm contact silver-clad OFC RCA contacts DNA Helix design	Mini jack M to 2 RCAs Part codes >>> Mini jack M to M Part codes -\$45.00 >>> Mini jack M to F Part codes -\$45.00 >>> Retail >>>	PEN1.0M NPM1.0M NPF1.0M 445.00	PEN1.5M NPM1.5M NPF1.5M 570.00	PEN2.0M NPM2.0M NPF2.0M 695.00	PEN3.0M NPM3.0M NPF3.0M 945.00	PENM000 250.00	PENF000 195.00	PENTERM 150.00	NPMTERM 150.00	NPFTERM 150.00		






TONEARM CABLES	DNA HELIX DESIGN COMPOSILEX 3 insulation material	When ordering DIN tonearm cables please specify straight or angled DIN	Standard lengths			Custom length cables		
			1.0M (40 in.)	1.5M (5 ft.)	2.0M (6.5 ft.)	\$ / meter of cable	\$ / foot of cable	Assembly Charge
SOLSTICE 8 (SOT/BST/SOR)	Series 8 silver-plated OFC conductors	DIN to 2 RCAs - Part codes >>> DIN to 2 XLRs - Part codes >>> Retail >>> RCA to RCA w/Ground Wire - Part codes >>> Retail >>>	SOT1.0M BST1.0M 250.00	SOT1.5M BST1.5M 275.00	SOT2.0M BST2.0M 300.00	SOIM000 15.00	SOIF000 250.00	SOTTERM
MICRO-ECLIPSE 8 (ECT/EBT/ERT)	Series 8 OCC-7N cooper conductors	DIN to 2 RCAs - Part codes >>> DIN to 2 XLRs - Part codes >>> RCA to RCA w/Ground Wire - Part codes >>> Retail >>>	ECT1.0M EBT1.0M ERT1.0M 420.00	ECT1.5M EBT1.5M ERT1.5M 480.00	ECT2.0M EBT2.0M ERT2.0M 540.00	MEIM000 60.00	METTERM 300.00	
MICRO-SILVER ECLIPSE 8 (SET/SBT/SRT)	Series 8 OCC-7N silver-clad cooper conductors	DIN to 2 RCAs - Part codes >>> DIN to 2 XLRs - Part codes >>> RCA to RCA w/Ground Wire - Part codes >>> Retail >>>	SET1.0M SBT1.0M SRT1.0M 540.00	SET1.5M SBT1.5M SRT1.5M 660.00	SET2.0M SBT2.0M SRT2.0M 780.00	MSEM000 120.00	SETTERM 300.00	
MICRO-PLATINUM ECLIPSE 8 (PET/BPT/PRT)	Series 8 OCC-7N solid silver conductors	DIN to 2 RCAs - Part codes >>> DIN to 2 XLRs - Part codes >>> RCA to RCA w/Ground Wire - Part codes >>> Retail >>>	PET1.0M BPT1.0M PRT1.0M 1,200.00	PET1.5M BPT1.5M PRT1.5M 1,550.00	PET2.0M BPT2.0M PRT2.0M 1,900.00	MPIM000 350.00	PETTERM 500.00	


HEADPHONE CABLES NO LONGER AVAILABLE



STANDARD SPEAKER CABLES (spades are standard, bananas optional) SpeakOn / 1/4" optional	Materials & Design		Standard length pairs				Custom lengths			Bulk cable		
			2.0M (6.5 feet)	2.5M (8 feet)	3.0M (10 feet)	5.0M (16.4 feet)	6.0M	\$ / meter of cable	\$ / foot of cable	Assembly Charge (Pr.)	Small spool	Large spool
HORIZON (HOS)	16 AWG/1.25mm ² 2 flat oxygen-free cooper conductors Flexi-Flat design gold/silver/OFC spades or bananas	Part codes >>> Retail >>>	HOS2.0M 110.00	HOS2.5M 115.00	HOS3.0M 120.00	HOS5.0M 145.00	HOS6.0M 155.00	HOSM000 6.00	HOSF000 90.00	HOSTERM 90.00	HOSM100 600.00	n/a
STREAM 8 (STS)	16 AWG/1.25mm ² oxygen-free cooper conductors	Part codes >>> Retail >>>	STS2.0M 155.00	STS2.5M 170.00	STS3.0M 185.00	STS5.0M 225.00	STS6.0M 255.00	STSM000 11.00	STSF000 120.00	STSTERM 120.00	STSM075 800.00	n/a






	Dual DNA Helix design - COMPOSILEX 3 insulation gold/silver/OFC spades or bananas 16 AWG/1.25mm ² oxygen-free copper conductors	Part codes >>> Retail >>>	HES2.0M 150.00	HES2.5M 160.00	HES3.0M 170.00	HES5.0M 210.00	HES6.0M 230.00	HESM000 11.00	HESTERM 120.00	HESM100 950.00	n/a	n/a	
	Dual DNA Helix design - COMPOSILEX 3 insulation gold/silver/OFC spades or bananas 16 AWG/1.25mm ² OCC-7N copper conductors	Part codes >>> Retail >>>	HCS2.0M 310.00	HCS2.5M 350.00	HCS3.0M 390.00	HCS5.0M 550.00	HCS6.0M 630.00	HCSM000 45.00	HCSTERM 145.00	HCSM100 4,200.00	n/a	n/a	
	CL3 / FT4 Quad DNA Helix design - COMPOSILEX 3 insulation silver-clad OFC spades or bananas 14 AWG/2mm ² oxygen-free copper conductors	Part codes >>> Retail >>>	LUS2.0M 225.00	LUS2.5M 235.00	LUS3.0M 250.00	LUS5.0M 310.00	LUS6.0M 340.00	LUSM000 15.00	LUSTERM 170.00	LUSM025 400.00	LUSM075 1,050.00	n/a	n/a
	CL3 / FT4 Quad DNA Helix design - COMPOSILEX 3 insulation gold/silver/OFC spades or bananas 13 AWG/2.5mm ² oxygen-free copper conductors	Part codes >>> Retail >>>	SOS2.0M 255.00	SOS2.5M 280.00	SOS3.0M 305.00	SOS5.0M 375.00	SOS6.0M 410.00	SOSM000 20.00	SOSTERM 175.00	SOSM025 500.00	SOSM075 1,300.00	n/a	n/a
	CL3 / FT4 Quad DNA Helix design - COMPOSILEX 3 insulation silver-clad OFC spades or bananas 11 AWG/4mm ² oxygen-free copper conductors	Part codes >>> Retail >>>	OAS2.0M 450.00	OAS2.5M 475.00	OAS3.0M 500.00	OAS5.0M 650.00	OAS6.0M 725.00	OASM000 40.00	OASTERM 300.00	OASM025 900.00	OASM050 1,800.00	n/a	n/a
	CL3 / FT4 Quad DNA Helix design - COMPOSILEX 3 insulation silver-clad OFC spades or bananas 11 AWG/4mm ² OCC-7N copper conductors	Part codes >>> Retail >>>	EQS2.0M 850.00	EQS2.5M 1,000.00	EQS3.0M 1,150.00	EQS5.0M 1,750.00	EQS6.0M 2,000.00	EQSM000 145.00	EQSTERM 300.00	EQSM025 3,500.00	EQSM050 7,000.00	n/a	n/a
	CL3 / FT4 Quad DNA Helix design - COMPOSILEX 3 insulation silver-clad OFC spades or bananas 13 AWG/2.5mm ² OCC-7N copper conductors	Part codes >>> Retail >>>	MES2.0M 610.00	MES2.5M 700.00	MES3.0M 790.00	MES5.0M 1,150.00	MES6.0M 1,330.00	MESM000 90.00	MESTERM 250.00	MESM050 4,500.00	MESM100 9,000.00	n/a	n/a
	OCC-7N copper conductors Octo DNA Helix design - COMPOSILEX 3 insulation silver-clad OFC spades or bananas 9 AWG/6mm ²	Part codes >>> Retail >>>	ECS2.0M 1,920.00	ECS2.5M 2,250.00	ECS3.0M 2,580.00	ECS5.0M 3,900.00	ECS6.0M 4,560.00	ECSM000 330.00	ECSTERM 600.00	ECSM025 8,250.00	ECSM040 13,200.00	n/a	n/a
	OCC-7N silver-clad copper conductors Octo DNA Helix design - COMPOSILEX 3 insulation silver-clad OFC spades or bananas 9 AWG/6mm ²	Part codes >>> Retail >>>	SES2.0M 3,680.00	SES2.5M 4,450.00	SES3.0M 5,220.00	SES5.0M 8,300.00	SES6.0M 9,840.00	SESM000 770.00	SESTERM 600.00	SESM025 19,250.00	SESM040 30,800.00	n/a	n/a
	9 AWG/6mm ² solid silver conductors Octo DNA Helix design - COMPOSILEX 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	GES2.0M 10,700.00	GES2.5M 13,200.00	GES3.0M 15,700.00	GES5.0M 25,700.00	GES6.0M 30,700.00	GESM000 2,500.00	GESTERM 700.00	GESM025 62,500.00	GESM040 100,000.00	n/a	n/a
	8 AWG/8mm ² OCC-7N solid silver conductors Octo DNA Helix design - COMPOSILEX 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	PES2.0M 20,000.00	PES2.5M 24,800.00	PES3.0M 29,600.00	PES5.0M 48,800.00	PES6.0M 58,400.00	PESM000 4,800.00	PESTERM 800.00	PESM020 96,000.00	PESM040 192,000.00	n/a	n/a




BIWIRE SPEAKER CABLES (spades standard, banana plus optional) SpeakON 1/4" optional	Materials & Design		Standard length pairs					Custom lengths			Bulk cable			
			2.0M (6.5 feet)	2.5M (8 feet)	3.0M (10 feet)	5.0M (16.4 feet)	6.0M (20 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge (Pr.)	Blamp+Biwire Charge (Pr.)	Small spool	Large spool	
	CL3 / FT4 Quad DNA Helix design - COMPOSILEX 3 insulation gold/silver/OFC spades or bananas 14 AWG/2mm ² oxygen-free copper conductors	Part codes >>> Retail >>>	LUB2.0M 275.00	LUB2.5M 290.00	LUB3.0M 305.00	LUB5.0M 360.00	LUB6.0M 385.00	LUBM000 15.00	LUBTERM 215.00	LUBBTERM 270.00	LUBM050 700.00	LUBM075 1,050.00	n/a	n/a
	CL3 / FT4 Quad DNA Helix design - COMPOSILEX 3 insulation gold/silver/OFC spades or bananas 13 AWG/2.5mm ² oxygen-free copper conductors	Part codes >>> Retail >>>	OAB2.0M 320.00	OAB2.5M 335.00	OAB3.0M 350.00	OAB5.0M 430.00	OAB6.0M 470.00	SOSM000 20.00	SOBTERM 235.00	SOBBTERM 300.00	SOSM025 500.00	SOSM075 1,300.00	n/a	n/a
	CL3 / FT4 Quad DNA Helix design - COMPOSILEX 3 insulation silver-clad OFC spades or bananas 11 AWG/4mm ² oxygen-free copper conductors	Part codes >>> Retail >>>	EOB2.0M 550.00	EOB2.5M 600.00	EOB3.0M 650.00	EOB5.0M 775.00	EOB6.0M 850.00	OASM000 40.00	OABTERM 420.00	OABBTERM 550.00	OASM025 900.00	OASM050 1,800.00	n/a	n/a
	CL3 / FT4 Quad DNA Helix design - COMPOSILEX 3 insulation silver-clad OFC spades or bananas 11 AWG/4mm ² OCC-7N copper conductors	Part codes >>> Retail >>>	MEB2.0M 710.00	MEB2.5M 800.00	MEB3.0M 890.00	MEB5.0M 1,250.00	MEB6.0M 1,430.00	MESM000 90.00	MEBTERM 350.00	MEBBTERM 450.00	MESM050 4,500.00	MESM100 9,000.00	n/a	n/a
	OCC-7N copper conductors Octo DNA Helix design - COMPOSILEX 3 insulation silver-clad OFC spades or bananas 9 AWG/6mm ²	Part codes >>> Retail >>>	ECB2.0M 2,120.00	ECB2.5M 2,450.00	ECB3.0M 2,780.00	ECB5.0M 4,100.00	ECB6.0M 4,760.00	ECSM000 330.00	ECBTERM 800.00	ECBBTERM 1,000.00	ECSM025 8,250.00	ECSM040 13,200.00	n/a	n/a
	OCC-7N silver-clad copper conductors Octo DNA Helix design - COMPOSILEX 3 insulation silver-clad OFC spades or bananas 9 AWG/6mm ²	Part codes >>> Retail >>>	SEB2.0M 3,880.00	SEB2.5M 4,650.00	SEB3.0M 5,420.00	SEB5.0M 8,500.00	SEB6.0M 10,040.00	SESM000 770.00	SEBTERM 800.00	SEBBTERM 1,000.00	SESM025 19,250.00	SESM040 30,800.00	n/a	n/a
	9 AWG/6mm ² solid silver conductors Octo DNA Helix design - COMPOSILEX 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	GEB2.0M 10,900.00	GEB2.5M 13,400.00	GEB3.0M 15,900.00	GEB5.0M 25,900.00	GEB6.0M 30,900.00	GESM000 2,500.00	GEBTERM 900.00	GEBBTERM 1,100.00	GESM025 62,500.00	GESM040 100,000.00	n/a	n/a
	8 AWG/8mm ² OCC-7N solid silver conductors Octo DNA Helix design - COMPOSILEX 3 insulation silver-clad OFC spades or bananas	Part codes >>> Retail >>>	PEB2.0M 20,200.00	PEB2.5M 25,000.00	PEB3.0M 29,800.00	PEB5.0M 49,000.00	PEB6.0M 58,600.00	PESM000 4,800.00	PEBTERM 1,000.00	PEBBTERM 1,250.00	PESM020 96,000.00	PESM040 192,000.00	n/a	n/a







BIWIRE JUMPERS (Spades are standard, banana plugs optional, 6 inches long)	Part code >>> Retail >>>	
	JUMPOAS 155.00	
	JUMPEQS 175.00	
	JUMPECS 200.00	
	JUMPESES 250.00	
	JUMPEGES 300.00	

	PLATINUM ECLIPSE Bwire Jumpers (set of 4)	Part code >>> Retail >>>	JUMPPES 600.00
---	---	-----------------------------	-------------------









SHIELDED MINI POWER CONDITIONING CORDS Mini Standard: US, EU wall plug to IEC C7 (Figure 8); UK termination available for \$10 upcharge.	Materials & Design (IEC C7 angle adapter ADPC7CB is included)		Standard Lengths		
			1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)
	16 AWG / 1.25mm ² oxygen-free copper conductors Fluxfield cable design - COMPOSILEX insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	MSP1.0M-S 85.00	MSP1.5M-S 100.00	MSP2.0M-S 110.00
	16 AWG / 1.25mm ² OCC-7N copper conductors Fluxfield cable design - COMPOSILEX insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	MEP1.0M-S 160.00	MEP1.5M-S 200.00	MEP2.0M-S 240.00



POWER CONDITIONING CORDS Standard: US, EU, UK wall plug to IEC C13, C19 or PowerCON custom termination is available for an upcharge.	Materials & Design Ultra-quiet. Flexible flat design bends and coils easily. Longer lengths are more effective.		Standard Lengths				Custom lengths and custom terminations			
			1.0M (40 in.)	1.5M (5 feet)	2.0M (6.5 feet)	3.0M (10 feet)	\$ / meter of cable	\$ / foot of cable	Assembly Charge 15A(IEC-C13)	Assembly Charge 20A(IEC-C19)
	12 AWG/3mm ² oxygen-free copper conductors Fluxfield cable design - COMPOSILEX 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	STP1.0M 135.00	STP1.5M 150.00	STP2.0M 190.00	STP3.0M 250.00	STPM000 60.00	STPTERM 360.00	STP20AMP	360.00
	12 AWG/3mm ² silver-clad OFC conductors Fluxfield cable design - COMPOSILEX 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	AUP1.0M 190.00	AUP1.5M 240.00	AUP2.0M 290.00	AUP3.0M 380.00	AUPM000 100.00	AUPTERM 430.00	AUP20AMP	430.00
	12 AWG/3mm ² OCC-7N copper conductors Fluxfield cable design - COMPOSILEX 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	ELP1.0M 260.00	ELP1.5M 330.00	ELP2.0M 400.00	ELP3.0M 540.00	ELPM000 140.00	ELPTERM 400.00	ELP20AMP	400.00
	12 AWG/3mm ² OCC-7N silver-clad copper conductors Fluxfield cable design - COMPOSILEX 2 insulation silver-clad copper alloy plugs	Part codes >>> Retail >>>	SEP1.0M 500.00	SEP1.5M 625.00	SEP2.0M 750.00	SEP3.0M 1,000.00	SEPM000 250.00	SEPTERM 440.00	SEP20AMP	440.00
	12 AWG/3mm ² OCC-7N solid silver conductors Fluxfield cable design - COMPOSILEX 2 insulation OCC silver-clad copper contacts	Part codes >>> Retail >>>	PEP1.0M 2,200.00	PEP1.5M 2,900.00	PEP2.0M 3,600.00	PEP3.0M 5,000.00	PEPM000 1,400.00	PEPTERM 800.00	PEP20AMP	800.00

POWER CORD CONNECTOR UPGRADE Standard & custom lengths	15 AMP IEC C13		Part codes >>> Retail >>>	PCSVRIEC 80.00
<ul style="list-style-type: none"> Silver-clad copper alloy contacts Flat clamp for STP / AUP / ELP / SEP only Standard lengths may be upgraded with this connector All custom length cords and standard length upgraded cords will be priced according to the custom pricing chart above. 	15 AMP IEC C13		Part codes >>> Retail >>>	PCSVRELU 80.00
			Part codes >>> Retail >>>	PCSVRIUS 80.00
POWER CORD CONNECTOR UPGRADE Standard & custom lengths <ul style="list-style-type: none"> OCC 7N Silver-clad contacts Flat clamp for PEP All Platinum Electra Power Cord are assembled with these connectors Available for European Schuko and US wall plugs 	20 AMP IEC C19		Part codes >>> Retail >>>	PCSVR20AMP 80.00
			Part codes >>> Retail >>>	PCOCCIEC 140.00
			Part codes >>> Retail >>>	PCOCCCEU 140.00
Part codes >>> Retail >>>	PCOCCCUS 140.00			




POWER CORD ADAPTERS		
Part code >>> Retail >>>	GNDLIFT 6.00	
Part code >>> Retail >>>	IECMFGS 10.00	
Part code >>> Retail >>>	IECM2F 20.00	
Part code >>> Retail >>>	IECM1F 10.00	
Part code >>> Retail >>>	ADPC7CB 6.00	

POWER STRIP		
MATRIX 2 OFC, star-wired, rack mountable, shielded power cord extender	Part code >>> Retail >>>	MATRIX 149.00



SPEAKER CABLE CONNECTORS (shrink tubing not included)			
SET OF 8 UNI-TERM GOLD SPADES		Part code >>> Retail >>>	SPDGUTM08 100.00
SET OF 16 UNI-TERM GOLD SPADES		Part code >>> Retail >>>	SPDGUTM16 190.00
SET OF 8 UNI-TERM SILVER SPADES		Part code >>> Retail >>>	SPDSUTM08 120.00
SET OF 16 UNI-TERM SILVER SPADES		Part code >>> Retail >>>	SPDSUTM16 230.00
SET OF 8 UNI-TERM GOLD BANANAS		Part code >>> Retail >>>	BANGUTM08 100.00
SET OF 16 UNI-TERM GOLD BANANAS		Part code >>> Retail >>>	BANGUTM16 190.00
SET OF 8 UNI-TERM SILVER BANANAS		Part code >>> Retail >>>	BANSUTM08 120.00
SET OF 16 UNI-TERM SILVER BANANAS		Part code >>> Retail >>>	BANSUTM16 230.00

UNI-TERM SOCKETS - EXCHANGE BANANAS AND SPADES			
SOCKET Single with Set Screw		Part code >>> Retail >>>	SOCKET 5.00
SET OF 16 GOLD BANANAS FOR EXCHANGING		Part code >>> Retail >>>	BANGEX16 120.00

SILVER LOCKING BANANA PLUGS (4-pack) Silver-clad Brass		Part code >>> Retail >>>	BANKL04 125.00
GOLD 10aa SET SCREW / BANANA (4-pack) Gold / Silver / Copper Alloy		Part code >>> Retail >>>	BANGCRP04 30.00

SET OF 16 SILVER BANANAS FOR EXCHANGING		Part code >>> Retail >>>	BANSEX16 150.00
SET OF 16 GOLD SPADES FOR EXCHANGING		Part code >>> Retail >>>	SPDSEX16 120.00
SET OF 16 SILVER SPADES FOR EXCHANGING		Part code >>> Retail >>>	SPDSEX16 150.00















GOLD 10ga. SET SCREW / BANANA (50-pack) Gold / Silver / Copper Alloy		Part code >>> Retail >>>	BANGCRP50 240.00
GOLD 10ga. SET SCREW / BANANA (50-pack) NO SHELL, NO FERRULE Gold / Silver / Copper Alloy		Part code >>> Retail >>>	BANGCRN50 120.00

1/4 INCH (6.3mm) UNI-TERM SPADE LUGS			
	Dimensions		
GOLD-PLATED OFC 1/4" SPADE Threaded for UNI-TERM and CRIMPABLE	.25" (6.3mm) inside .49" (12mm) outside	Part code >>> Retail >>>	SPG1/4-01 7.00
GOLD-PLATED OFC 1/4" SPADE (8-pack)	 Threaded	Part code >>> Retail >>>	SPG1/4-08 60.00
GOLD-PLATED OFC 1/4" SPADE (50-pack) Bulk price		Part code >>> Retail >>>	SPG1/4-50 300.00
SILVER-CLAD OFC 1/4" SPADE Threaded for UNI-TERM and CRIMPABLE	.25" (6.3mm) inside .49" (12mm) outside	Part code >>> Retail >>>	SPS1/4-01 10.00
SILVER-CLAD OFC 1/4" SPADE (8-pack)	 Threaded	Part code >>> Retail >>>	SPS1/4-08 80.00
SILVER-CLAD OFC 1/4" SPADE (50-pack) Bulk price		Part code >>> Retail >>>	SPS1/4-50 400.00

TERMINATION KITS for SPEAKER CABLES	Includes parts needed for 1 - pair of cables SPADES AND BANANAS NOT INCLUDED	
	Part codes	Retail
Single wired (SOB/LUS/STS)	TKITSOS	10.00
Bi-wired (SOB/LUB)	TKITSOB	15.00
Single wired (OAS)	TKITOAS	100.00
Bi-wired (OAB)	TKITOAB	110.00
Single wired (EQS)	TKITEQS	100.00
Bi-wired (EOB)	TKITEOB	110.00
Single wired (MES)	TKITMES	100.00
Bi-wired (MEB)	TKITMEB	110.00
Single wired (ECS)	TKITECS	180.00
Bi-wired (ECB)	TKITECB	190.00
Single wired (SES)	TKITSES	180.00
Bi-wired (SEB)	TKITSEB	190.00
Single wired (GES)	TKITGES	180.00
Bi-wired (GEB)	TKITGEB	190.00
Single wired (PES)	TKITPES	240.00
Bi-wired (PEB)	TKITPEB	250.00

INTERCONNECT CONNECTORS (shrink tubing included)			
Gold Tube RCA for LUI / SOI / CRV / UVV		Part code >>> Retail >>>	RCAM6.5MM 10.00
Gold Tube RCA pair for LUI / SOI / CRV / UVV		Part code >>> Retail >>>	RCAM6.5PR 20.00
Silver Tube RCA for OAI / EOI / STV		Part code >>> Retail >>>	RCAM8.5MM 15.00
Silver Tube RCA pair for OAI / EOI / STV		Part code >>> Retail >>>	RCAM8.5PR 30.00
Silver Tube RCA for ECI / SEI / GEI / SSV / GSV		Part code >>> Retail >>>	RCAM11MM 30.00
Silver Tube RCA pair for ECI / SEI / GEI / SSV / GSV		Part code >>> Retail >>>	RCAM11PR 60.00
Silver Tube Carbon Fiber RCA for PEI / PSV		Part code >>> Retail >>>	RCAMP11 20.00
XLR for OBI & QBI		Part code Female >>> Part code Male >>> Retail >>>	XLRF5VR XLRM5VR 20.00
XLR pair for OBI & QBI	1 Male and 1 female	Part code >>> Retail >>>	XLRSVRPR 40.00
XLR Reference		Part code Female >>> Part code Male >>> Retail >>>	XLRFREF XLRMREF 40.00
XLR Reference pair	1 Male and 1 female	Part code >>> Retail >>>	XLRFREFPR 75.00
Mini Jack 8.5mm opening small diameter shell		Part code >>> Retail >>>	MJK3.5AL 15.00
RJ45 ETHERNET PLUG Field termination shrink included		Part code >>> Retail >>>	RJ45STE 20.00

PROGOLD CONTACT TREATMENT			
PROGOLD (2ml. squeeze tube) Improves performance		Part code >>> Retail >>>	PROGOLD 10.00
DEOXIT		Part code >>>	DEOXIT

(2ml. squeeze tube) cleans contacts thoroughly		Retail >>>	10.00
Rejuvenation Kit 1 - Deoxit Wipe / 1 - ProGold Wipe / 1 - Cleaning Cloth		Part code >>> Retail >>>	REJUVKIT 15.00
POINT-OF-PURCHASE (POP) Materials			
CABLE BOARD Balanced Digital		Part code >>> Retail >>>	BOARDBD 40.00
CABLE BOARD Digital		Part code >>> Retail >>>	BOARDDV 40.00
CABLE BOARD Ethernet		Part code >>> Retail >>>	BOARDCAT 40.00
CABLE BOARD HDMI		Part code >>> Retail >>>	BOARDHD 40.00
CABLE BOARD Interconnect		Part code >>> Retail >>>	BOARDIC 40.00
CABLE BOARD Reference Interconnect		Part code >>> Retail >>>	BOARDREFIC 40.00
CABLE BOARD Power Cords		Part code >>> Retail >>>	BOARDPC 40.00
CABLE BOARD Speaker		Part code >>> Retail >>>	BOARDSP 40.00
CABLE BOARD Reference Speaker		Part code >>> Retail >>>	BOARDREFSP 40.00
USB (A and Micro B) FLASH DRIVE 16 GIG		Part code >>> Retail >>>	KEYDRIVE 20.00
POCKET FOLDER 9x12"		Part code >>> Retail >>>	FOLDER 4.00
EVA CASE		LARGE. Part code >>> Retail >>>	CASEREFM 15.00
		SMALL. Part code >>> Retail >>>	CASEREPS 10.00
PVC FLEXI SIGN		LARGE 32 x 13.75". Part code >>> Retail >>>	WWSIGN32 50.00
		SMALL 15 x 7.5". Part code >>> Retail >>>	WWSIGN 20.00