


<b>INPOL® Amplifiers pure class A</b>	
	<p><b>InPol Remix mkII</b>                      Integrated amplifier 2 x 20W@ 8 Ohm, 2 x 35W@ 4 Ohm                      Pure class A - double INPOL technology - fully balanced - digital Bias/gain setting technology                      4 line inputs RCA and 1 balanced XLR, pre output inverting and non-inverting,                      S/PDIF and USB "B" type port digital inputs optional (HiDac Mk2 required)                      Dimensions: unit 37,8 X 28 X 17 cm package 45 x 40 x 30 cm                      Weight: net 15,5 Kg, gross 16,5 Kg</p>
	<p>Top cover finish: matt metallic black <span style="float: right;"><b>€ 5.450</b></span></p>
	<p>Top cover special finish: lacquered white, black, red <span style="float: right;"><b>€ 5.920</b></span></p>
<p><b>Option:</b> Hidac MkII voor InPol Remix MkII <span style="float: right;"><b>€ 700</b></span></p>	
	<p><b>TT Remote Reference</b>                      Integrated amplifier 2 x 35W@ 8 Ohm- Pure class A - INPOL technology                      Purely resistive optical/relays remote controlled volume                      4 line inputs RCA, 1 tape out                      Dimensions: unit 48 x 45 x 30 cm, package 59 x 59 x 30 cm                      Weight: net 42 Kg, gross 49 Kg</p>
	<p>Available finishes: padouk wood or black side panels <span style="float: right;"><b>€ 6.700</b></span></p>
	<p><b>TT Anniversary</b>                      Integrated amplifier 2 x 35W@ 8 Ohm - Pure class A - INPOL technology                      Purely resistive optical/relays remote controlled volume; remote controlled input selector                      3 line inputs RCA and 1 balanced XLR, tape out, sub out                      Dimensions: unit 48 x 45 x 30 cm, package 59 x 59 x 30 cm                      Weight: net 42 Kg, gross 49 Kg</p>
<p>Available finishes: padouk wood or black side panels <span style="float: right;"><b>€ 7.150</b></span></p>	
	<p><b>InPol2 MkII</b>                      Integrated amplifier 2 x 45W@ 8 Ohm - Pure class A - double INPOL technology - fully balanced.                      Purely resistive relays remote controlled volume.                      4 line inputs RCA and 2 balanced XLR S/PDIF and USB "B" type port digital inputs optional (HiDac Mk2 required).                      Dimensions: unit 43 x 53 x 19,5 cm, package 80 x 60 x 35 cm                      Weight: net 38Kg, gross 42 Kg</p>
	<p>Available finishes: padouk wood or black front panel <span style="float: right;"><b>€ 10.820</b></span></p>
	<p><b>Option:</b> Hidac MkII voor InPol2 Remix MkII <span style="float: right;"><b>€ 700</b></span></p>
	<p><b>InPol Heritage MkII (New)</b>                      Stereo integrated amplifier Pure class A - double INPOL technology - fully balanced                      2 x 80WRMS @8Ohm, 2 x 135W @4Ohm                      2x balanced XRL line                      5x unbalanced RCA line                      1 Pre out stereo line RCA                      1 Pre out stereo line Balanced XLR                      Dimensions: 45cm x 69,3cm x 23cm                      Weight: 80Kg</p>
	<p>Available finishes: Black with padouk or black fascia <span style="float: right;"><b>€ 18.700</b></span></p>
	<p><b>Option:</b> Hidac MkII voor InPol Heritage <span style="float: right;"><b>€ 700</b></span></p>
	<p><b>InPol Legacy</b>                      Integrated amplifier without compromises                      100W @ 8 Ohm                      Pure class A                      Double INPOL technology                      Intrinsically balanced design                      Power supply with dedicated capacitive inductive filtering per channel                      Tubes: 2x ECC803s TungSol, 1x 6H30 per channel                      3 line inputs RCA and 3 balanced XLR                      Dimensions (each): unit 50 x 88 x 30 cm, wooden package 74 x 103 x 60 cm                      Weight: net 140 Kg, gross 170Kg</p>
	<p>Available finishes: Black with padouk or black fascia <span style="float: right;"><b>€ 50.000</b></span></p>

<b>INPOL® Power Amplifiers pure class A</b>	
	<p><b>InPower MkII</b>                      Monoblock power amplifier 120W @ 8 Ohm                      Pure class A                      Double INPOL technology                      Intrinsically balanced design                      Accurate power supply inductive-capacitance Tubes: 2x ECC83 12AX7 SOVTEK, 1x 6H30 SOVTEK                      1 line inputs RCA and 1 balanced XLR                      Dimensions (each): unit 31,5 x 55,5 x 30 cm, wooden package 45 x 72 x 38 cm                      Weight: net 55 Kg, gross 68Kg                      Available finishes: Black with padouk or black fascia</p>
	<b>€ 11.660</b>
	<p><b>Adrenalin</b>                      Monoblock power amplifier 200W @ 8 Ohm                      Pure class A                      Double INPOL technology                      Intrinsically balanced design                      Accurate power supply inductive-capacitance Tubes: 2x ECC83 12AX7 SOVTEK, 1x 6H30 SOVTEK                      1 line inputs RCA and 1 balanced XLR                      Dimensions (each): unit 30 x 70 x 45 cm, package 35 x 80 x 50 cm                      Weight: net 80 Kg, gross 88 Kg                      Available finishes: black and grey, matt metallic</p>
	<b>€ 22.000</b>
<b>Hybrid amplifiers class A/B</b>	
	<p><b>Classic One MkIII</b>                      Integrated amplifier 2 x 70W@ 8 Ohm                      Class A / AB                      Hybrid technology                      4 line inputs RCA and 1 balanced XLR, purely resistive volume control                      Dimensions: unit 23 x 50 x 14 cm, package 60 x 30 x 22 cm                      Weight: net 13 Kg, gross 14 Kg                      Available finishes: matt black top panel and steel-brushed case, padouk or black front panel</p>
	<b>€ 3.150</b>
	<p><b>Classic Remix</b>                      Integrated amplifier 2 x 70W@ 8 Ohm                      Class A / AB                      Hybrid technology                      Fully balanced                      3 line inputs RCA and 1 balanced XLR, pre out, S/PDIF and USB "B" type port digital inputs optional (HiDac Mk2 required)                      Dimensions: unit 37,8 x 28 x 17 cm, package 45 x 40 x 30 cm                      Weight: net 14 Kg, gross 17,5 Kg                      Top cover finish: matt metallic black                      Top cover special finish: lacquered white, black, red, zebrano</p>
	<b>€ 3.370</b>
	<b>€ 3.850</b>
	<b>Option: Hidac MkII voor Classic Remix € 700</b>
	<p><b>Logos MK2</b>                      Integrated amplifier 2 x 110W@ 8 Ohm - class A / AB - Hybrid technology                      5 line inputs RCA and 2 balanced XLR, pre out, S/PDIF and USB "B" type port digital inputs optional (HiDac Mk2 required)                      Purely resistive remote controlled volume control                      Dimensions: unit 43 x 42 x 17 cm, package 60 x 60 x 30 cm                      Weight: net 28 Kg, gross 29 Kg                      Available finishes: padouk wood or black front panel</p>
	<b>€ 5.140</b>
	<b>Option: Hidac MkII voor Logos Mk2 € 700</b>
	<p><b>Kratos</b>                      Integrated amplifier 2 x 200WRMS@ 8 Ohm - 2 x 350WRMS @ 4 Ohm 2 balanced XLR line                      5 unbalanced RCA line, 1 balanced XLR direct to the power amp S/PDIF and USB "B" type port digital inputs optional (HiDac Mk2 stage required) 1 Pre out stereo unbalanced RCA - 1 Pre out stereo balanced XLR                      Dimensions: unit 43 x 53 x 19,5 cm, package 60 x 80 x 35 cm                      Weight: net 35 Kg, gross 41 Kg                      Available finishes: padouk wood or black front panel</p>
	<b>€ 10.100</b>
	<b>Option: Hidac MkII voor Kratos € 750</b>

Class D amplifiers	
	<p><b>AmpliD</b> Stereo power amplifier 2 x 70W@ 8 Ohm - class D - fully balanced 1 line inputs RCA and 1 balanced XLR. Dimensions: unit 20x 22 x 7 cm, package 30 x 40 x 17 cm Weight: net 5 Kg, gross 5,5 Kg</p> <p>Available finishes: grey or black with grey or black buttons</p> <p style="text-align: right;"><b>€ 1.750</b></p>
Preamplifiers	
	<p><b>InControl Mk2</b> Stereo preamplifier Pure class A Fully balanced Input: 2 balanced XLR, 4 unbalanced RCA Output: 1 balanced XLR, 1 unbalanced RCA S/PDIF and USB "B" type port digital inputs optional (HiDac Mk2 required) Dimensions: unit 29 x 36 x 15,5 cm, package 30 x 40 x 17cm Weight: net 18 Kg, gross 19 Kg</p> <p>Available finishes: padouk wood or black front panel; black or gray side panels</p> <p style="text-align: right;"><b>€ 7.220</b></p>
	<p><b>Option:</b> Hidac MkII voor InControl Mk2</p> <p style="text-align: right;"><b>€ 700</b></p>
	<p><b>Synapse</b> Stereo preamplifier Two-stage construction - intrinsically balanced design - original volume block, tubes 4 x 6H30 Input: 3 Balanced XRL, 3 linea RCA Output: 2 Balanced XRL Dimensions: unit 43 x 53 x 27 cm, package 50 x 63 x 30cm Weight: net 23 Kg, gross 33 Kg</p> <p>Available finishes: matt metallic gray</p> <p style="text-align: right;"><b>€ 24.600</b></p>
Phono Preamplifier	
	<p><b>InTheGroove</b> MM/MC phono stage Ultra low noise design two-stage construction Selectable gain Input load selectable Balanced output Dimensions: unit 26 x 22 x 7 cm, package 30 x 40 x 17cm Weight: net 3,5 Kg, gross 4,5 Kg</p> <p>Available finishes: grey or black with grey or black buttons</p> <p style="text-align: right;"><b>€ 1.890</b></p>
D/A Converter, Preamplifier & Headphone Amplifier	
	<p><b>Converto Mk2</b> D/A converter, preamplifier and headphone amplifier. Convert-rate 32 bit/384KHz with DSD and I2S. Class A Fully balanced 2x S/PDIF inputs (1 RCA and 1 optical), 2x USB "B" type port digital inputs, 1x line input RCA Dimensions: unit 20 x 22 x 7 cm, package 30 x 40 x 17cm. Weight: net 2 Kg, gross 2,5 Kg.</p> <p>Available finishes: grey or black with grey or black buttons</p> <p style="text-align: right;"><b>€ 1.980</b></p>
	<p>Converto Mk2 RR with remote control</p> <p style="text-align: right;"><b>€ 2.250</b></p>
Headphone amplifiers	
	<p><b>Aurium</b> Headphone amplifier 2 x 3,6W @ 16 Ohm Output impedance &lt;10hm Class A tube amplification Dimensions: unit 20 x 22 x 9 cm, package 30 x 40 x 17 cm Weight: net 3 Kg, gross 3,5 Kg</p> <p>Available finishes: grey or black with grey, black or red buttons and knob</p> <p style="text-align: right;"><b>€ 1.580</b></p>
	<p><b>InPol EAR</b> Headphone amplifier and preamplifier 4 line inputs RCA and balanced XLR, pre output inverting and non inverting S/PDIF and USB "B" type port digital inputs optional (HiDac Mk2 required) Dimensions: unit 37,8 x 28 x 17 cm, package 40 x 40 x 30 cm - Weight: net 12 Kg, gross 15 Kg</p> <p>Top cover finish: matt metallic black</p> <p style="text-align: right;"><b>€ 5.170</b></p> <p>Top cover special finish: lacquered white, black, red, zebrano</p> <p style="text-align: right;"><b>€ 5.660</b></p>
	<p><b>Option:</b> Hidac MkII voor InPol Ear</p> <p style="text-align: right;"><b>€ 700</b></p>

<b>Optionals</b>		
	<p><b>HiDac Mk2</b>                      D/A converter built-in Pcb with converter D/A 32bit/384KHz with DSD and I2S codec to be integrated S/PDIF inputs                      USB "B" type port digital inputs</p>	
	<p>Standard: available for Classic Remix, InPol Remix MkII, Heritage, EAR, InPol2 MkII, InControl MkII</p>	<b>€ 700</b>
	<p>Logos-Dac: available for Logos Mk2</p>	<b>€ 700</b>
	<p><b>HiDac Mk2</b>                      Module for Kratos                      D/A converter Module with additional digital connections, including HiDac Mk2 board 1 optic S/PDIF input                      1 RCA S/PDIF input                      2 USB "B" type port digital inputs</p>	
	<p>Available for Kratos</p>	<b>€ 750</b>